INDEX TO VOLUME 12

AUTHOR INDEX

* Original article.

† Abstract of paper presented at the Thirty-fourth Annual Meeting of the Endocrine Society.

ABARBANEL, A. R.: Transvaginal peritoneoscopy (culdoscopy of Decker)—a new instrumentality for evaluation of ovarian function. II. Evaluation and management of secondary amenorrhea, 919†

ADDISON, R. G., *see* MORTON, J. H., 954†

ADDITON, H., *see* MORTON, J. H., 954†

ADLERSBERG, D., *see* BOOKMAN, J. J., 945†

——, *see* SCHAEFER, L. E., 963†

ALBERT, A.: The enterohepatic circulation of radiothyroxine, 942†

——, *see* BENUA, R. S., 1461*

ALBRIGHT, F., *see* BARTTER, F. C., 1532*

ALFORD, A., *see* CATTELL, R. B., 1389*

ALLEN, H. C., JR.; KELLY, F. J., and GREENE, J. A.: Observations on the nodular thyroid gland with the gammagraph, 1356*

ALTLAND, J. K., *see* BRUSH, B. E., 1380*

ALTZULER, N., *see* BACCHUS, H., 908*

ANDERSON, E., *see* ROSEMBERG, E., 933†

ANTONCHEK, N., *see* GAUNT, R., 958†

——, *see* LEATHEM, J. H., 950†

APPEL, S. B.: GLUCK, J. L.; REICHMAN, S.; SCHLECKER, A. A.; MILLER, A.; GOLDMAN, A. M., and KUPPERMAN, H. S.: The effect of adrenocorticotropic hormone on blood glucose and insulin hypoglycemia, 979†

ARONS, W. L., *see* JENKINS, D., 957†

ARRILLAGA, F. C., *see* DE LA BALZE, F. A., 977†, 1426*

ARTUNKAL, S., and KAYAHAN, S.: The effect of glucose on the circulating eosinophils, 1095*

ASPER, S. P., JR., *see* PLAMONDON, C. A., 976†

ATLAS, L. T., and BENIRSHKE, K.: Nucleic acid changes in tissues of normal and diphtheria intoxicated guinea pigs with cortisone, 932†

AWAPARA, J., *see* TRUNNELL, J. B., 946†

BACCHUS, H.; ALTZULER, N., and HEIFFER, M. H.: (Letter to the Editor) Effect of ascorbic acid on 17-ketosteroid excretion, 908*

BALZE, *see* DE LA BALZE

BARKER, C., *see* SMITH, O. W., 151*

BARKER, S. B., and SCHWARTZ, H. S.: Further studies on tissue responses to thyroxine, 978†

BARRY, R. C., *see* DE LA BALZE, F. A., 977†

BARTELS, C., *see* CATTELL, R. B., 1389*

BARTTER, F. C.; SNIFFEN, R. C.; SIMMONS, F. A.; ALBRIGHT, F., and HOWARD, R. P.: Effects of chorionic gonadotropin (APL) in male "eunuchoidism with low follicle stimulating hormone": aqueous solution versus oil and beeswax suspension, 1532*

——, *see* SHANDS, H. C., 178*

BARZELATTO, J., *see* STANBURY, J. B., 1480*

BASSETT, S. H., *see* LEVIN, M. H., 506*

BAXTER, P., *see* BOLING, L., 184*

BAY, R., *see* BOWERS, J. Z., 921†

BECK, J. C., *see* MCCULLAGH, E. P., 947†

BECKER, D. V., *see* ROBBINS, J., 856*

BENIRSHKE, K., *see* ATLAS, L. T., 932†

BENNETT, L. L., *see* LIDDLE, G. W., 926†

BENNETT, V., *see* LEVIN, M. H., 506*

BENUA, R. S.; ALBERT, A., and KEATING, F. R., JR.: The metabolism of radiothyroxine in exophthalmic goiter, 1461*

BERSON, S. A., and YALOW, R. S.: The effect of cortisone on the iodine accumulating function of the thyroid gland in euthyroid subjects, 407*

BERGENSTAL, D. M., and LUGIBIHL, K.: Effect of TSH and ACTH on amino-acid metabolism, 929†

BEST, C. H.: (Banting Memorial Lecture) Insulin, 945 (title only).

BIDDULPH, C.; PETERSON, R. H., and JOHNSON, A. E.: Testicular damage in rats induced by radioactive phosphorus, 953†

BIERMAN, H. R., *see* SHIMKIN, M. B., 439*

BLACK, B. M., *see* UNDERDAHL, L. O., 944†

BLAND, E. F., *see* COPE, O., 875*

BLATT, M.; WIESBADER, H., and KUPPERMAN, H. S.: The failure of vitamin E to alter significantly the menopausal index in the surgical or natural climacteric patient, 948†

——, *see* KUPPERMAN, H. S., 949†

INDEX TO VOLUME 12

AUTHOR INDEX

* Original article.

† Abstract of paper presented at the Thirty-fourth Annual Meeting of the Endocrine Society.

ABARBANEL, A. R.: Transvaginal peritoneoscopy (culdoscopy of Decker)—a new instrumentality for evaluation of ovarian function. II. Evaluation and management of secondary amenorrhea, 919†

ADDISON, R. G., *see* MORTON, J. H., 954†

ADDITON, H., *see* MORTON, J. H., 954†

ADLERSBERG, D., *see* BOOKMAN, J. J., 945†

——, *see* SCHAEFER, L. E., 963†

ALBERT, A.: The enterohepatic circulation of radiothyroxine, 942†

——, *see* BENUA, R. S., 1461*

ALBRIGHT, F., *see* BARTTER, F. C., 1532*

ALFORD, A., *see* CATTELL, R. B., 1389*

ALLEN, H. C., JR.; KELLY, F. J., and GREENE, J. A.: Observations on the nodular thyroid gland with the gammagraph, 1356*

ALTLAND, J. K., *see* BRUSH, B. E., 1380*

ALTZULER, N., *see* BACCHUS, H., 908*

ANDERSON, E., *see* ROSEMBERG, E., 933†

ANTONCHEK, N., *see* GAUNT, R., 958†

——, *see* LEATHEM, J. H., 950†

APPEL, S. B.: GLUCK, J. L.; REICHMAN, S.; SCHLECKER, A. A.; MILLER, A.; GOLDMAN, A. M., and KUPPERMAN, H. S.: The effect of adrenocorticotropic hormone on blood glucose and insulin hypoglycemia, 979†

ARONS, W. L., *see* JENKINS, D., 957†

ARRILLAGA, F. C., *see* DE LA BALZE, F. A., 977†, 1426*

ARTUNKAL, S., and KAYAHAN, S.: The effect of glucose on the circulating eosinophils, 1095*

ASPER, S. P., JR., *see* PLAMONDON, C. A., 976†

ATLAS, L. T., and BENIRSHKE, K.: Nucleic acid changes in tissues of normal and diphtheria intoxicated guinea pigs with cortisone, 932†

AWAPARA, J., *see* TRUNNELL, J. B., 946†

BACCHUS, H.; ALTZULER, N., and HEIFFER, M. H.: (Letter to the Editor) Effect of ascorbic acid on 17-ketosteroid excretion, 908*

BALZE, *see* DE LA BALZE

BARKER, C., *see* SMITH, O. W., 151*

BARKER, S. B., and SCHWARTZ, H. S.: Further studies on tissue responses to thyroxine, 978†

BARRY, R. C., *see* DE LA BALZE, F. A., 977†

BARTELS, C., *see* CATTELL, R. B., 1389*

BARTTER, F. C.; SNIFFEN, R. C.; SIMMONS, F. A.; ALBRIGHT, F., and HOWARD, R. P.: Effects of chorionic gonadotropin (APL) in male "eunuchoidism with low follicle stimulating hormone": aqueous solution versus oil and beeswax suspension, 1532*

——, *see* SHANDS, H. C., 178*

BARZELATTO, J., *see* STANBURY, J. B., 1480*

BASSETT, S. H., *see* LEVIN, M. H., 506*

BAXTER, P., *see* BOLING, L., 184*

BAY, R., *see* BOWERS, J. Z., 921†

BECK, J. C., *see* MCCULLAGH, E. P., 947†

BECKER, D. V., *see* ROBBINS, J., 856*

BENIRSHKE, K., *see* ATLAS, L. T., 932†

BENNETT, L. L., *see* LIDDLE, G. W., 926†

BENNETT, V., *see* LEVIN, M. H., 506*

BENUA, R. S.; ALBERT, A., and KEATING, F. R., JR.: The metabolism of radiothyroxine in exophthalmic goiter, 1461*

BERSON, S. A., and YALOW, R. S.: The effect of cortisone on the iodine accumulating function of the thyroid gland in euthyroid subjects, 407*

BERGENSTAL, D. M., and LUGIBIHL, K.: Effect of TSH and ACTH on amino-acid metabolism, 929†

BEST, C. H.: (Banting Memorial Lecture) Insulin, 945 (title only).

BIDDULPH, C.; PETERSON, R. H., and JOHNSON, A. E.: Testicular damage in rats induced by radioactive phosphorus, 953†

BIERMAN, H. R., *see* SHIMKIN, M. B., 439*

BLACK, B. M., *see* UNDERDAHL, L. O., 944†

BLAND, E. F., *see* COPE, O., 875*

BLATT, M.; WIESBADER, H., and KUPPERMAN, H. S.: The failure of vitamin E to alter significantly the menopausal index in the surgical or natural climacteric patient, 948†

——, *see* KUPPERMAN, H. S., 949†

BLOHM, R. W., JR.; WURL, O. A.; GILLESPIE, J. O., and ESCAMILLA, R. F.: Refractoriness to antitetanic therapy in a case of surgical hypoparathyroidism, 929†
BLUMGART, H. L., *see* FREEDBERG, A. S., 1315*
BOAS, N. F.; LUDWIG, A. W., and SOFFER, L. J.: Endocrine regulation of serum hexosamine levels, 965†
——, *see* LUDWIG, A. W., 930†
BOCHNER, A. K., *see* JEFFRIES, W. M., 924†
BOLDREY, E. B., *see* SHIMKIN, M. B., 439*
BOLING, L.; NEWKIRK, J.; BAXTER, P.; PARTRIDGE, J.; MARGEN, S., and KINSELL, L. W.: The use of ACTH in the management of generalized peritonitis. A preliminary report, 184*
—, *see* KINSELL, L. W., 909*, 945†
——, *see* PARTRIDGE, J. W., 929†
BONNER, C. D., and HOMBURGER, F.: A two-year follow-up on the effect of pituitary adrenocorticotropic hormone (ACTH), cortisone and cortisone ointment in a case of pemphigus foliaceus, 1239*
BOOKER, W. M.; JOHNSON, J. B.; HAYES, R. L.; THOMAS, R. F.; HENRY, W.; TUREMAN, J. R., and DENT, F.: Effect of cortisone on tolerance to ascorbic acid and level of blood cholesterol in man, 346*
BOOKMAN, J. J.; DRACHMAN, S. R.; SCHAEFER, L. E., and ADLERSBERG, D.: Studies on steroid diabetes in man, 945†
BOWERS, J. Z.; NELSON, D. H.; BAY, R., and SAMUELS, L. T.: Alterations in 17-hydroxycorticosteroids of peripheral blood following acute whole-body irradiation of the dog, 921†
BRADBURY, J. T., and HENDON, J. R.: Further studies on the action and effectiveness of various forms of testosterone, 952†
BRADY, R. O., and HEDGES, T.: (Letter to the Editor) Lack of effect of parahydroxypropiophenone in hyperophthalmopathic Graves' disease and diabetes mellitus, 604*
BRAYER, F. T., and TRUNNEL, J. B.: Serum and urinary β-glucuronidase levels in patients with prostatic cancer, 917†
——, *see* TRUNNELL, J. B., 946†
BROWN, M., *see* DANOWSKI, T. S., 1454*
BROWN, N. H., and GREENBLATT, R. B.: Modification of response to prolonged ACTH therapy, 1040*
BROWN, R. W.; WOODBURY, D. M., and SAYERS, G.: Inhibition of thyrotropin, gonadotropins and prolactin by ACTH, 939†
BROWNE, J. S. L., *see* VENNING, E. H., 1409*
BROWNELL, G. L., *see* STANBURY, J. B., 191*, 1480*
BRUSH, B. E., and ALTLAND, J. K.: Goiter prevention with iodized salt: results of a thirty-year study, 1380*
BRYAN, J. B., *see* SMITH, R. W., JR., 958†
BUNIM, J. J., *see* WILSON, H., 969†
BURGER, J., *see* KUPPERMAN, H. S., 948†
BUXTON, C. L.: The use of monobenzyl ether of stilbestrol in the treatment of chronic anovulation and amenorrhea, 954†
BYERS, S. O., *see* ROSENMAN, R. H., 1287*

CAMPBELL, C. J., *see* MURTAGH, J. A., 1398*
CANDELA, *see* RODRIGUEZ-CANDELA
CANO, *see* MUÑIZ CANO
CANTAROW, A., *see* D'ANGELO, S. A., 976†
——, *see* PASCHKIS, K. E., 939†
CARAWAY, W. T.: Calculation of protein-bound iodine from kinetic data, 1215*
CARLSON, L. D., *see* WILKINS, R. B., 647*
CARROL, K. K., and NOBLE, R. L.: Erucic acid as the factor in rape oil affecting rat adrenal cholesterol, 934†
CARTER, A. C., and SHORR, E.: Strontium as an adjuvant to calcium in the remineralization of the skeleton in man, 928†
——, and SHORR, E., with the technical assistance of TOSCANI, V.; STEVENS, E., and DAVIS, V. B.: An attempt to assess the magnitude of endogenous androgen production in a case of the adrenogenital syndrome, 1059*
CASPI, E., *see* HECHTER, O., 935†
CASTILLO, *see* DEL CASTILLO
CASTRO, *see* PORTUONDO DE CASTRO
CATTELL, R. B.; ALFORD, A. W., and BARTELS, E. C.: Recurrent hyperthyroidism after antithyroid therapy and thyroidectomy, 1389*
CATZ, B., and STARR, P.: Measurements of thyroid epithelium in glands prepared for surgery with iodothiouracil and with other antithyroid drugs, 228*
CERCEO, E., *see* PEARLMAN, W. H., 916†
CHAMOVITZ, D. L., *see* FREEDBERG, A. S., 86*
CHANEY, A. L.; MCKEE, W. E., FISCHER, R. H., and MCCOLGAN, S. P.: A new and simplified procedure for the determination of free pregnanediol in urine, and its evaluation, 735*
CHAVEZ MONTES, J.: Paraoxipropiophenone in the treatment of Parry-Graves-Basedow syndrome and in "pure hyperthyroidism"—Clinical report of 12 cases, 978†
——: Turner's syndrome with anovarism—Case report, 947†
CHEN, D. K., *see* LUDWIG, A. W., 965†

CLARK, D. E., *see* LANDAU, R. L., 915†

COHEN, S. L., and GOLDFINE, M. M.: The use of spleen glucuronidase as a hydrolytic agent for pregnanediol assays, 916†

CONN, W. M., *see* STIMMEL, B. F., 371*

CONNOR, T. B., *see* HOWARD, J. E., 927†

COOK, C. D.; GROSS, R. E.; LANDING, B. H., and ZYGMUNTOWICZ, A. S.: Interstitial cell tumor of the testis. Study of a 5-year-old boy with pseudo-precocious puberty, 725*

COOPER, I. S., and CREVIER, P. H.: Neurogenic hypernatremia and hyperchloremia, 821*

COPE, O.; LABBE, J. P.; RAKER, J. W., and BLAND, E. F.: Pheochromocytoma and adrenal cortical adenoma. Report of a case with both tumors and a discussion of their relation, 875*

CORNFIELD, J., *see* ROSEMBERG, E., 933†

CORREA, J., *see* STANBURY, J. B., 1480*

CORTAZAR, J., *see* STANBURY, J. B., 1480*

COSTA, A.: (Letter to the Editor) Diagnostic errors based on single assay of I^{131} uptake after intravenous tracer dose, 135*

COURTRIGHT, C. L., recipient of 1952 Schering Fellowship (Endocrine Society), 1105

CREVIER, P. H., *see* COOPER, I. S., 821*

CRIGLER, J. F., JR., *see* WILKINS, L., 257*, 277*, 1015*

CRISPELL, K. R., and PARSON, W.: The administration of purified growth hormone to a female with hypoadrenalism, hypothyroidism, diabetes mellitus, and secondary amenorrhea, simulating panhypopituitarism, 881*

——; PARSON, W., and SPRINKLE, P.: A simplified technique for the diagnosis of hyperthyroidism utilizing the one-hour uptake of orally administered I^{131}, 977†

CURTIS, G. M., *see* MECKSTROTH, C. V., 1373*

CUTULY, E., *see* GRAUER, R. C., 947†

DAILEY, M. E., *see* LINDSAY, S., 1578*

D'ANGELO, S. A.; PASCHKIS, K. E.; CANTAROW, A.; SIEGEL, A. N., and FRIEDLER, G.: The effect of goitrogen withdrawal on thyroidal I^{131} uptake in the rat, 976†

DANOWSKI, T. S.; HUFF, S. J.; TARAIL, R.; WIRTH, P.; PETERS, J. H.; MATEER, F. M., and GARVER, K.: Serum protein-bound iodine during ingestion of desiccated thyroid, 1572*

——; WIRTH, P.; BROWN, M.; HILL, G. C., and FETTERMAN, G. H.: Parahydroxypropiophenone effects on rat thyroid, adrenal, and pituitary, 1454*

DAVID, M. M., *see* PERLMUTTER, M., 208*

DAVIS, M. E.; TEST, C. E.; NAVORI, C. A.; HRYSE, B.; POTTINGER, R. E., and DUNKLE, F.: Some effects of adrenocorticotropic hormone in various hypoovarian states. I. Secondary amenorrhea, 697*

DAVIS, V. B., *see* CARTER, A. C., 1059*

DAWSON, N., *see* KINSELL, L. W., 945†

——, *see* MARGEN, S., 962†

DE LA BALZE, F. A.; ARRILLAGA, F. C.; IRAZU, J., and MANCINI, R. E.: Klinefelter's syndrome; a study of 5 cases. Histophysiologic basis for a pathogenic interpretation, 1426*

——; BARRY, R. C.; ARRILLAGA, F. C., and MANCINI, R. E.: Changes in the circulating and bone marrow eosinophils due to the action of thiouracil in hyperthyroid and in normal subjects, 977†

——; MANCINI, R. E.; IACAPRARO, G.; ARRILLAGA, F., and MOLINELLI, E. A.: Clinical, hormonal and histologic study of human brucellosis orchiepididymitis, 918†

——, *see* MANCINI, R. E., 931†

DE LA HABA, D. S., *see* HETZEL, B. S., 941†

DEL CASTILLO, E., *see* STANBURY, J. B., 191*

DEMPSEY, E., and ROBERTS, B.: (Letter to the Editor) Effect of dietary changes on uterine size, 244*

DENT, F., *see* BOOKER, W. M., 346*

DESPOPOULOS, A., and FITZMORRIS, A. O.: Renal adjustments to large saline loads in the normal and in diabetes insipidus 955†

——, *see* PERLOFF, W. H., 36*

DICKSON, L. C., *see* SMITH, R. W., JR., 958†

DINGEMANSE, E.; HUIS IN'T VELD, L. G., and HARTOGH-KATZ, S. L.: Clinical method for the chromatographic-colorimetric determination of urinary 17-ketosteroids. II. Normal adults, 66*

——, *see* Subject index, Obituaries.

DINGMAN, J. F.: STREETEN, D. H. P., and THORN, G. W.: Effect of cortisone on the abnormal intravascular distribution of water in Addison's disease, 925†

DOBIJA, M., *see* LEMONDE, P., 973†

DOBRINER, K., *see* HELLMAN, L., 934†

——, *see* SALAMON, I. I., 967†

——, *see* Subject index, Obituaries

DOHAN, F. C., *see* RICHARDSON, E. M., 971†

DORFMAN, R. I., *see* HAYNES, R., 972†

——, *see* JEFFRIES, W. M., 924†

——, *see* ROMANOFF, E. B., 968†

——, *see* SAVARD, K., 935†

DRACHMAN, S. R., *see* BOOKMAN, J. J., 945†

——, *see* SCHAEFER, L. E., 963†
DREKTER, I. J.; HEISLER, A.; SCISM, G. R.; STERN, S.; PEARSON, S., and McGAVACK, T. H.: The determination of urinary steroids. I. The preparation of pigment-free extracts and a simplified procedure for the estimation of total 17-ketosteroids, 55*
DUFFY, B. J., JR.: (Letter to the Editor) Effect of X-radiation on 17-ketosteroid excretion, 135*
——, and HOWLAND, J. W.: (Letter to the Editor) The use of Tapazole to increase I^{131} concentration in euthyroid patients, 761*
DUNKLE, D., *see* DAVIS, M. E., 697*

EDLIN, J. C., *see* GOLDZIEHER, J. W., 957†
EDMONDSON, H. A., *see* REYNOLDS, T. B., 560*
EISENSTEIN, A., *see* KIRK, J. E., 338*
EKMAN, G., *see* NATHANSON, I. T., 1172*
ELLIOTT, J., *see* NATHANSON, I. T., 1172*
ELMADJIAN, F., and PINCUS, G.: The dose response in man to oral and injected lipo-adrenal cortical extract, 642*
ELY, R. S., *see* KELLEY, V. C., 1140*
ENGEL, L. L., *see* NATHANSON, I. T., 1172*
ENGEL, P.; GARCIA V, C. M.; FISCHL, S., and MUGGIA, A.: New ways to increase progesterone activity, 917†
ENGELBERG, H., *see* GLASS, S. J., 963†
ENGLEMAN, E. P., *see* KRUPP, M. A., 1163*
EPSTEIN, D., *see* FISHER, G., 1100*
——, *see* PASCHKIS, K. E., 939†
ESCAMILLA, R. F., *see* BLOHM, R. W., JR., 929†
ESCHER, G. C., *see* PEARSON, O. H., 926†
EVANS, J. M.; YOUNG, J. P.; HERTZ, R.; TULLNER, W. W.; WILMER, G., and WOOD, O.: The ability of the human liver to reduce the biologic activity of injected estrogens, 495*
EVERETT, J. W.: Some factors affecting the success of pharmacologic blockade of ovulation in rats, 923†
EYA, M., *see* WOLFSON, W. Q., 970††

FAIRBANKS, R., *see* WILSON, H., 969†
FARRELL, G. L., *see* SWEAT, M. L., 968†
FEINSTEIN, M., *see* HECHTER, O., 935†
FENNINGER, L. D., *see* WATERHOUSE, C., 798*
FERIN, J.: Relative duration of action of natural and synthetic estrogens administered parenterally in women with estrogen deficiency, 28*
FETTERMAN, G. H., *see* DANOWSKI, T. S., 1454*
FINKLER, R., *see* KUPPERMAN, H. S., 948†
FISCHER, R. H., and RILEY, C. L.: Pregnanediol excretion in a masculinizing syndrome, 890*
——, *see* CHANEY, A. L., 735*
FISCHL, S., *see* ENGEL, P., 917†
FISHER, G.; EPSTEIN, D., and PASCHKIS, K. E.: (Letter to the Editor) A case of struma cibaria, 1100*
FISHER, J. D., and THOMPSON, R. E.: A proposed ascorbic acid depletion assay for ACTH, which correlates clinical effectiveness, 967†
FITZMORRIS, A. O., *see* DESPOPOULOS, A., 955†
FLINK, E. B., and HALBERG, F.: Clinical studies on eosinophil rhythm, 922†
FORSHAM, P. H.; LEE, H.; KOLB, F. O., and LIDDLE, G. W.: Metabolic and therapeutic effectiveness of modified ACTH preparations, 956†
——, *see* FREDRICKSON, D. S., 541*
——, *see* LIDDLE, G. W., 926†
——, *see* MUNSON, P. L., 969†
——, *see* REDDY, W. J., 972†
——, *see* REYNOLD, A. E., 763*
FRAWLEY, T. F., *see* JENKINS, D., 957†
FRED, L., *see* LEVIN, M. H., 506*
FREDRICKSON, D. S.; FORSHAM, P. H., and THORN, G. W.: The effect of massive cortisone therapy on measurements of thyroid function, 541*
FREEDBERG, A. S.; KURLAND, G. S., and BLUMGART, H. L.: The pathologic effects of I^{131} on the normal thyroid gland of man, 1315*
——; KURLAND, G. S.; CHAMOVITZ, D. L., and URELES, A. L.: A critical analysis of the quantitative I^{131} therapy of thyrotoxicosis, 86*
FREEDMAN, H. H., and GORDON, A. S.: Adrenal cortical response of thiouracil-treated rats to cold, 941†
FREEMAN, M. E., *see* KYLE, L. H., 927†
FRIED, P. H.; PERILSTEIN, P. K., and WAGNER, F. B., JR.: The hormonal factor in painful telangiectasia in pregnancy, 953†
——, and RAKOFF, A. E.: A rapid chorionic gonadotropin assay method for clinical purposes, 951†
——, and RAKOFF, A. E.: The effects of chorionic gonadotropin and prolactin on the maintenance of corpus luteum function, 321*
FRIEDLANDER, J., *see* LINDSAY, S., 1578*
FRIEDLER, G., *see* D'ANGELO, S. A., 976†
——, *see* PASCHKIS, K. E., 939†
FRIEDMAN, M., *see* ROSENMAN, R. H., 1287*
FUKAYAMA, G., *see* KINSELL, L. W., 945†

FUKUI, T., *see* LEVIN, M. H., 506*
FUKUSHIMA, D. K., *see* HELLMAN, L., 934†

GABRILOVE, J. L.; LUDWIG, A. W., and SOFFER, L. J.: Effect of thyroid hormone and thyrotropin on the ground substance and connective tissue, 966†
——, *see* SOFFER, L. J., 690*
GAEBLER, O. H., and MATHIES, J. C.: Significance of changes in the activity of hepatic and renal *l*-glutamic dehydrogenase produced by growth hormone, 939†
GALLAGHER, T. F., *see* HELLMAN, L., 934†
GARBERI, J. C., *see* MANCINI, R. E., 931†, 964†
GARCIA V, C. M., *see* ENGEL, P., 917†
GARDNER, L. I., and MIGEON, C. J.: Urinary dehydroisoandrosterone in hyperadrenocorticism: influence of cortisone, hydrocortisone and ACTH, 1117*
——, *see* MIGEON, C. J., 1513*
——, *see* WILKINS, L., 257*, 277*, 1015*
GARGILL, S. L., *see* HERMANSON, L., 112*
——, *see* WERTHESSEN, N. T., 169*
GARVER, K., *see* DANOWSKI, T. S., 1572*
GAUNT, R.; HOWELL, C., and ANTONCHEK, N.: The effect of other steroids on the response to cortisone, 958†
GEMMILL, C. L.: Enzymatic mechanisms of thyroxine, 1300*
——, recipient of Second Honorable Mention, 1952 Van Meter Prize (Am. Goiter Assoc.), 1408
GESCHWIND, I. I., and LI, C. H.: Interaction of growth hormone with thyroxin and other hormones, as measured by the tibia test, 937†
GILLESPIE, J. O., *see* BLOHM, R. W., JR., 929†
GLASS, S. J.; ENGELBERG, H.; MARCUS, R., and GOFMAN, J.: Effect of estrogens and androgens on the serum lipids and B-lipoproteins in men and women, 963†
GLENN, E. M., *see* NELSON, D. H., 936†
GLUCK, J. L., *see* APPEL, S. B., 979†
GOETZ, F. C., *see* LAIDLAW, J. C., 971†
GOFMAN, J., *see* GLASS, S. J., 963†
GOLDFINE, M. M., *see* COHEN, S. L., 916†
GOLDMAN, A. M., *see* APPEL, S. B., 979†
GOLDSMITH, R. E., STURGIS, S. H.; LERMAN, J., and STANBURY, J. B.: The menstrual pattern in thyroid disease, 846*
GOLDZIEHER, J. W.: Studies in steroid fluorescence, 954†
——, and EDLIN, J. C.: Adrenal function in chronic pulmonary tuberculosis, 957†
——; RAWLS, W. B., and GOLDZIEHER, M. A.: The adrenal cortex and sulphur metabolism, 931†
——, and ROBERTS, I. S.: Identification of estrogen in the human testis, 143*
——, *see* GOLDZIEHER, M. A., 42*
GOLDZIEHER, M. A., and GOLDZIEHER, J. W.: Hormone-resistant psychogenic amenorrhea, 42*
GORDON, A. S., *see* FREEDMAN, H. H., 941†
——, *see* PADAWER, J., 922†
——, *see* STRAND, F. L., 956†
GORNALL, A. G., and MACDONALD, M. P.: Quantitative determination of the steroid hormones, using 2:4-dinitrophenylhydrazine, 978†
GOTTSCHALK, G. W., and RIGGS, D. S.: Protein-bound iodine in the serum of soldiers and of Eskimos in the Arctic, 235*
GRAD, B.: The influence of ACTH on the sodium and potassium concentration of human mixed saliva, 708*
GRAUER, R. C.; CUTULY, E., and SAIER, E.: The influence of mixtures of biologically active estrogens on target organ response, 947†
GREENBLATT, R. B., *see* BROWN, N. H., 1040*
GREENE, J. A., *see* ALLEN, H. C., JR., 1356*
GREEP, R. O., *see* HOFMANN, F. G., 925†
GREER, M. A.: The role of the hypothalamus in the control of thyroid function, 1259*
GREER, R., *see* KINSELL, L. W., 945†
——, *see* MARGEN, S., 962†
GRODY, M. H., *see* MASTERS, W. H., 1445*
GROSS, R. E., *see* COOK, C. D., 725*
GUTERMAN, H. S.; KUNSTADTER, R. H., and TULSKY, A. S.: The diagnostic value of pneumoperitoneum in sex endocrine disorders, 919†

HABA, *see* DE LA HABA
HAILMAN, H. F.: ACTH and cortisone *vs.* salicylates, 454*
HALBERG, F., and VISSCHER, M. B.: The effects of graded doses of cortisone on circulating eosinophils in the intact mouse, 932†
——, *see* FLINK, E. B., 922†
HALL, C. E., and HALL, O.: The course of parabiotic hypertension in the rat following adrenalectomy, 960†
HALL, O., *see* HALL, C. E., 960†
HALL, T. C., *see* MCCRACKEN, B. H., 923†
HAMBLEN, E. C., *see* WORTHAM, J. T., 975†
HAMILTON, H. B., and WERNER, S. C.: The effects of sodium iodide, 6-prophylthiouracil, and 1-methyl-2-mercaptoimidazole during radioiodine therapy of hyperthyroidism, 1083*
——, *see* WERNER, S. C., 940†, 1349*, 1561*
HANCOCK, C., *see* SIMKIN, B., 940†

HARE, H. F., *see* HORRAX, G., 631*
——, *see* YOUNGHUSBAND, O. Z., 611*
HARINGTON, C. R., *see* LERMAN, J., 1306*
HARRISON, J. H., *see* LAIDLAW, J. C., 971†
HARTOGH-KATZ, S. L., *see* DINGEMANSE, E., 66*
HASKINS, A. L., and SHERMAN, A. I.: The quantitative assay of serum chorionic gonadotropin in pregnancy, using the modified male frog technique, 385*
HAYES, R. L., *see* BOOKER, W. M., 346*
HAYNES, R.; SAVARD, K., and DORFMAN, R. I.: An in vitro effect of ACTH, 972†
HECHTER, O.; SOLOMON, M. M.; MACCHI, I. A.; CASPI, E., and FEINSTEIN, M.: Corticosteroid metabolism in isolated perfused rat livers, 935†
——, *see* PINCUS, G., 920†
HEDGES, T., *see* BRADY, R. O., 604*
HEIFFER, M. H., *see* BACCHUS, H., 908*
HEISLER, A., *see* DREKTER, I. J., 55*
HELLER, C. G., *see* MORTIMORE, G. E., 952†
HELLMAN, L.; ROSENFELD, R. R.; FUKUSHIMA, D. K.; GALLAGHER, T. F., and DOBRINER, K.: Utilization of C^{14}-acetate for cholesterol and steroid hormone synthesis in the human, 934†
HEMING, A. E.; HOLTCAMP, D. E., and MANSOR, L. F.: Effect of compounds B and F (Kendall) on electroshock threshold, 961†
HEMMERLINE, A., *see* WOLFSON, W. Q., 970†
HENDON, J. R., *see* BRADBURY, J. T., 952†
HENRY, W., *see* BOOKER, W. M., 346*
HERMANSON, L.; GARGILL, S. L., and LESSES, M. F.: The treatment of nodular goiter, 112*
HERTZ, R., *see* EVANS, J. M., 495*
——, *see* TULLNER, W. W., 916†
HETZEL, B. S., DE LA HABA, D. S., and HINKLE, L. E., JR.: Life stress and thyroid function in human subjects, 941†
——, and HINE, D. C., assisted by STENHOUSE, N. S.: Adrenal cortical function in hypertension, 296*
HILL, G. C., *see* DANOWSKI, T. S., 1454*
HINE, D. C., *see* HETZEL, B. S., 296*
HINKLE, L. E., JR., *see* HETZEL, B. S., 941†
HISAW, F. L., *see* SALHANICK, H. A., 310*
HOAGLAND, H., *see* MITTELMAN, A., 831*
HOERR, S. O., *see* SCHNEIDER, R. W., 425*
HOFMANN, F. G.; KNOBIL, E.; JONES, T. L., and GREEP, R. O.; The effects of desoxycorticosterone acetate and saline on the bilaterally adrenalectomized rhesus monkey, 925†
HOGNESS, J. R., *see* WILLIAMS, R. H., 943†
HOLLANDER, V. P.; WEST, C. D.; RALL, J. E., and PEARSON, O. H.: The catabolic action of thyroxine and cortisone, 962†
——, *see* PEARSON, O. H., 926†
HOLTKAMP, D. E., *see* HEMING, A. E., 961†
HOMBURGER, F., *see* BONNER, C. D., 1239*
HOPKINS, T., *see* PINCUS, G., 920†
HOPKINS, T. R., *see* HOWARD, J. E., 927†
HORRAX, G.; HARE, H. F.; POPPEN, J. L.; HURXTHAL, L. M., and YOUNGHUSBAND, O. Z.: Chromophobe pituitary tumors. II. Treatment, 631*
——, *see* YOUNGHUSBAND, O. Z., 611*
HOUSSAY, A., *see* STANBURY, J. B., 191*
HOWARD, J. E.; HOPKINS, T. R., and CONNOR, T. B.: The use of intravenous calcium as a measure of activity of the parathyroid glands, 927†
HOWARD, R. P.; MILLS, E. S., and MATHEWS, W. H.: Pluriglandular insufficiency without panhypopituitarism, 974†
——, *see* BARTTER, F. C., 1532*
HOWELL, C., *see* GAUNT, R., 958†
——, *see* LEATHAM, J. H., 950†
HOWLAND, J. W., *see* DUFFY, B. J., JR., 761*
HRYSE, B., *see* DAVIS, M. E., 697*
HUFF, S. J., *see* DANOWSKI, T. S., 1572*
HUIS in't VELD, L. G., *see* DINGEMANSE, E., 66*
HUNT, L., *see* MORTON, J. H., 954†
HURXTHAL, L. M., *see* HORRAX, G., 631*
——, *see* YOUNGHUSBAND, O. Z., 611*

INGBAR, S. H., and ROBERTS, J.: The reciprocal effects of TSH and thyroxine upon the iodine concentrating capacity of rat thyroids, 975†
INGLE, D. J.: (Letter to the Editor) An effect of commercial preparations of corticotropin upon the work performance of the adrenalectomized-hypophysectomized rat, 1601*
——: Some further studies on the relationship of adrenal cortex hormones to experimental diabetes, 944†
IRAZU, J., *see* DE LA BALZE, F. A., 1426*
ITOIZ, J., *see* STANBURY, J. B., 191*

JACOBSON, G., *see* REYNOLDS, T. B., 560*
JACOBSON, W. E., *see* SCHULTZ, A. L., 1205*
JEFFRIES, W. M.; BOCHNER, A. K., and DORFMAN, R. I.: A comparison of effects of single injections of ACTH and epinephrine upon adrenal cortical activity, 924†
JENKINS, D.; ARONS, W. L.; FRAWLEY, T. F., and THORN, G. W.: Desoxycorticosterone trimethylacetate in the treatment of Addison's disease, 957†
——, *see* LAIDLAW, J. C., 971†

——, *see* REDDY, W. J., 972†
——, *see* RENOLD, A. E., 763*
JINKS, R., *see* STEIN, M., 961†
JOHNSON, A. E., *see* BIDDULPH, C., 953†
JOHNSON, B. A., *see* OTT, A. C., 15*
JOHNSON, J. B., *see* BOOKER, W. M., 346*
JOHNSON, R. E., *see* LYONS, W. R., 937†
JONES, J. H., *see* RICHARDSON, E. M., 971†
JONES, T. L., *see* HOFMANN, F. G., 925†

KASSENAAR, A., *see* QUERIDO, A., 1077*
KAYAHAN, S., *see* ARTUNKAL, S., 1095*
KEATING, F. R., JR., *see* BENUA, R. S., 1461*
KELEMEN, E.: (Letter to the Editor) Cortisone *vs.* salicylate, 1249*
KELLEY, R. M., *see* NATHANSON, I. T., 1172*
KELLEY, V. C.; ELY, R. S., and RAILE, R. B.: Metabolic studies in patients with congenital adrenal hyperplasia. Effects of cortisone therapy, 1140*
KELLY, F. J., *see* ALLEN, H. C., JR., 1356*
KELLY, K. H., *see* SHIMKIN, M. B., 439*
KENIGSBERG, S., and MCGAVACK, T. H.: The excretion of 17-ketosteroids. II. Values in several endocrine disturbances, 1551*
KESTON, A. S., *see* SONENBERG, M., 938†, 1269*
KEUTMANN, E. H., *see* WATERHOUSE, C., 798*
KINSELL, L. W., and LISSER, H.: Adrenal cortical tumor causing hirsutism without other evidence of virilization, 50*
——; MICHAELS, G. D.; MARGEN, S.; BOLING, L., and PARTRIDGE, J. W., with the technical assistance of DAWSON, N.; FUKAYAMA, G.; GREER, R., and SMYRL, S.: The evidence for acceleration of neoglucogenesis from fat by ACTH, cortisone and related compounds, 945†
——; PARTRIDGE, J.; BOLING, L.; MARGEN, S., and MICHAELS, G.: (Letter to the Editor) Dietary modification of serum cholesterol and phospholipid levels, 909*
——, *see* BOLING, L., 184*
——, *see* MARGEN, S., 962†
——, *see* PARTRIDGE, J. W., 929†
KIPP, E., *see* PARTRIDGE, J. W., 929†
KIRK, J. E.; EISENSTEIN, A., and MACBRYDE, C. M.: The acid phosphatase concentration of the prostatic exprimate during normal puberty, 338*
KNOBIL, E., *see* HOFMANN, F. G., 925†
KOLB, F. O., and STEINBACH, H. L.: The triad of blue sclerae, brittle bones, and otosclerosis. A hereditary form of osteogenesis imperfecta, 964†
——, *see* FORSHAM, P. H., 956†
KRUPP, M. A.; ENGLEMAN, E. P.; WELSH, J. E., and WRENN, H. T.: Measurement of the excretion of cortisone and compound F, using the Porter-Silber method, 1163*
KUHL, W. J., JR.; WILSON, H., and RALLI, E. P.: Measurements of adrenal cortical activity in young men subjected to acute stress, 393*
——, and ZIFF, M.: Alteration of thyroid function by ACTH and cortisone, 554*
KUIZENGA, M. H., *see* OTT, C., 15*
KUNSTADTER, R. H., *see* GUTERMAN, H. S., 919†
KUPPERMAN, H. S.; BLATT, M.; WIESBADER, H., and TOGASHI, S.: Evaluation of estrogenic compounds by the menopausal and amenorrhea index, 949†
——; FINKLER, R., and BURGER, J.: The effect of progesterone, estrogen and cortisone upon androgen secretion and clinical picture of the adrenogenital syndrome, 948†
——, *see* APPEL, S. B., 979†
——, *see* BLATT, M., 948†
KURLAND, G. S., *see* FREEDBERG, A. S., 86*, 1315*
KYLE, L. H.; MERONEY, W. H., and FREEMAN, M. E.: Studies regarding the mechanism of bone disease in the Detoni-Fanconi syndrome, 927†

LABBE, J. P., *see* COPE, O., 875*
LABHART, A., *see* MUNSON, P. L., 969†
LAIDLAW, J. C.; GOETZ, F. C.; JENKINS, D.; MUNSON, P. L.; HARRISON, J. H., and THORN, G. W.: 17-Ketosteroid and androgen excretion in orchiedectomized patients, 971†
——, recipient of the 1952 Ayerst, McKenna and Harrison Fellowship (Endocrine Society), 1105
LANDAU, R. L.; CLARK, D. E., and STIMMEL, B.: Gynecomastia and retarded sexual development resulting from a long-standing estrogen-secreting adrenal tumor, 915†
LANDING, B. H., *see* COOK, C. D., 725*
LAZAROW, A.: Spontaneous disappearance of alloxan diabetes in the rat after twelve to twenty months of the disease, 943†
LEATHEM, J. H.; HOWELL, C. H.; ANTONCHEK, N., and ST. ANDRE, A. F.: Testosterone activity as influenced by esterification and vehicle, 950†
LEE, H., *see* FORSHAM, P. H., 956†
LEMONDE, P.; PANISSET, M.; DOBIJA, M., and SELYE, H.: Protection by somatotropic hormone (STH) against experimental tuberculosis, 973†
LERMAN, J.; HARINGTON, C. R., and MEANS, J. H.: The physiologic activity of some analogues of thyroxine, 1306*

——, *see* GOLDSMITH, R. E., 846*
LESSES, M. F., *see* HERMANSON, L., 112*
LEVI, J. E., and LEWISON, E. F.: Malignant melanoma in a patient with ovarian agenesis. Case report of prolonged survival, 901*
LEVIN, M. H.; FRED, L., and BASSETT, S. H., with the technical assistance of BENNETT, V.; FUKUI, T., and YOST, B.: Metabolic studies in gout, 506*
LEVY, L. M., *see* PERLOFF, W. H., 36*
LEWISON, E. F., *see* LEVI, J. E., 901*
LI, C. H., *see* GESCHWIND, I. I., 937†
——, *see* LYONS, W. R., 937†
LIDDLE, G. W.; FORSHAM, P. H., and BENNETT, L. L.: A quantitative study of the prevention of ACTH-induced sodium retention by potassium salts, 926†
——, *see* FORSHAM, P. H., 956†
LIEBERMAN, S., recipient of the 1952 Ciba Award (Endocrine Society), 1104
LINDSAY, S.; DAILEY, M. E.; FRIEDLANDER, J.; YEE, G., and SOLEY, M. H.: Chronic thyroiditis: a clinical and pathologic study of 354 patients, 1578*
LISSER, H., *see* KINSELL, L. W., 50*
LOWRIE, W. D., *see* SMITH, R. W., JR., 958†
LUDWIG, A. W.; BOAS, N. F., and SOFFER, L. J.: The effects of ACTH and cortisone on the development of experimental exophthalmos in the guinea pig, 930†
——; CHEN, D. K., and SOFFER, L. J.: The relationship between connective tissue mucopolysaccharide content and tissue electrolyte composition, 965†
——, *see* BOAS, N., 965†
——, *see* GABRILOVE, J. L., 966†
LUGIBIHL, K., *see* BERGENSTAL, D. M., 929†
LYONS, W. R.; LI, C. H., and JOHNSON, R. E.: The enhancing effect of somatotropin on the mammary growth induced in rats with estrin, progestin and mammotropin, 937†
LYSTER, S. C., *see* OTT, A. C., 15*

MAC, *see* Mc
MACCHI, I. A., *see* HECHTER, O., 935†
MADDOCK, W. O., and NELSON, W. O.: The effects of chorionic gonadotropin in adult men: increased estrogen and 17-ketosteroid excretion, gynecomastia, Leydig cell stimulation and seminiferous tubule damage, 985*
MAGALLON, D. T., *see* MASTERS, W. H., 1445*
MAISTERRENA, J., *see* STANBURY, J. B., 1480*
MANCINI, R. E., and GARBERI, J. C.: Serum mucoprotein level in endocrine diseases, 964†
——; GARBERI, J. C., and DE LA BALZE, F. A.: Serum mucoprotein and mucoproteins of connective tissue of the skin in generalized myxedema, 931†
——, *see* DE LA BALZE, F. A., 177†, 1426*
MANDERNACH, D. M., *see* THOMPSON, W. O., 943†
MANHEIMS, P. J., *see* ROHDENBURG, G. L., 1031*
MANSOR, L. F., *see* HEMING, A. E., 961†
MARCUS, R., *see* GLASS, S. J., 963†
MARGEN, S.; GREER, R.; DAWSON, N.; TARVER, H., and KINSELL, L. W.: Studies in radiosulfur metabolism—Protein metabolic defect in the nephrotic syndrome; modification with ACTH-cortisone, 962†
——, *see* BOLING, L., 184*
——, *see* KINSELL, L. W., 909* 945†
MARTIN, H. E., *see* REYNOLDS, T. B., 560*
MASTERS, W. H.; GRODY, M. H., and MAGALLON, D. T.: Progesterone in aqueous crystalline suspension versus progesterone in oil: comparison by withdrawal bleeding tests in the human female, 1445*
MATEER, F. M., *see* DANOWSKI, T. S., 1572*
MATHEWS, W. H., *see* HOWARD, R. P., 974†
MATHIES, J. C., *see* GAEBLER, O. H., 939†
MCARTHUR, J. W.: The bioassay of pituitary interstitial cell stimulating hormone (ICSH) in human urine: preliminary report, 914†
MACBRYDE, C. M., *see* KIRK, J. E., 338*
MCCALL, F., *see* VENNING, E. H., 936†, 1409*
MCCOLGAN, S. P., *see* CHANEY, A. L., 735*
MCCRACKEN, B. H., and HALL, T. C.: Studies on pigmentation in Addison's disease and following ACTH and cortisone administration, 923†
MCCULLAGH, E. P., and BECK, J. C.: A syndrome of eunuchoidism with spermatogenesis and normal urinary FSH, 947†
——; MCKENDRY, J. B. R., and SCHAFFENBURG, C. A.: Comparison of effectiveness of three testosterone preparations in man and rats, 3*
MACDONALD, M. P., *see* GORNALL, A. G., 978†
MCFARLANE, W. V.: Effects of temperature and surgery upon the elimination of radioiodine in the rat, 942†
MCGAVACK, T. H.; PEARSON, S., and WEISSBERG, J.: A comparison of several steroids with "anabolic" activity, 951†
——, *see* DREKTER, I. J., 55*
——, *see* KENIGSBERG, S., 1551*
——, *see* PEARSON, S., 966†, 1245*
——, *see* SHEARMAN, A. M., 951†
MCKEE, W. E., *see* CHANEY, A. L., 735*

McKENDRY, J. B. R., *see* McCULLAGH, E. P., 3*
McMANUS, R. G., *see* MEISSNER, W. A., 1474*
MEANS, J. H., *see* LERMAN, J., 1306*
——, recipient of the 1952 Squibb Award (Endocrine Society), 1104
MECKSTROTH, C. V.; RAPPORT, R. L.; CURTIS, G. M., and SIMCOX, S. J.: The laboratory diagnosis of extrathyroidal hypermetabolism, 1373*
MEISSNER, W. A., and McMANUS, R. G.: A comparison of the histologic pattern of benign and malignant thyroid tumors, 1474*
MERONEY, W. H., *see* KYLE, L. H., 927†
MICHAELS, G., *see* KINSELL, L. W., 909*, 945†
MIGEON, C. J., and GARDNER, L. I.: Urinary estrogens (measured fluorometrically and biologically) in hyperadrenocorticism: influence of cortisone, compound F, compound B and ACTH, 1513*
——, *see* GARDNER, L. I., 1117*
——, *see* WILKINS, L., 257*, 277*, 1015*
MILLER, A., *see* APPEL, S. B., 979†
MILLS, E. S., *see* HOWARD, R. P., 974†
MIRSKY, I. A., *see* STEIN, M., 961†
MITTELMAN, A.; ROMANOFF, L. P.; PINCUS, G., and HOAGLAND, H.: Neutral steroid excretion by normal and by schizophrenic men, 831*
MONEY, W. L.; RALL, J. E., and RAWSON, R. W.: The effect of low iodine diet on thyroid function in the rat, 1495*
——, *see* SONENBERG, M., 938†, 1269*
MONTES, *see* CHAVEZ MONTES
MORTIMORE, G. E., and HELLER, C. G.: Germinal cell arrest and germinal cell "hyperactivity" in relation to the theory of utilization of gonadotropins, 952†
MORTON, J. H.; ADDITON, H.; ADDISON, R. G., and HUNT, L.: A clinical study of premenstrual tension, 954†
MORTON, J. V., *see* TAUBENHAUS, M., 930†
MUGGIA, A., *see* ENGEL, P., 917†
MUÑIZ CANO, R., *see* PORTUONDO DE CASTRO, J. M., 361*
MUNSON, P. L.; LABHART, A., and FORSHAM, P. H.: Cortisone and hydrocortisone as precursors of urinary dehydroepiandrosterone, 969†
——, *see* LAIDLAW, J. C., 971†
MURTAGH, J. A., and CAMPBELL, C. J.: Physiology of recurrent laryngeal nerve: report on progress, 1398*

NAFFZIGER, H. C., *see* SHIMKIN, M. B., 439*
NATHANSON, I. T.; ENGEL, L. L., and KELLEY, R. M., with EKMAN, G.; SPAULDING, K. H., and ELLIOTT, J.: The effect of androgens on the urinary excretion of ketosteroids, nonketonic alcohols and estrogens, 1172*
NAVORI, C. A., *see* DAVIS, M. E., 697*
NELSON, C. H., *see* REYNOLDS, T. B., 560*
NELSON, D. H., and SAMUELS, L. T.: A method for the determination of 17-hydroxycorticosteroids in blood: 17-hydroxycorticosterone in the peripheral circulation, 519*
——; SANDBERG, A. A.; PALMER, J. G., and GLENN, E. M.: Levels of 17-hydroxycorticosteroids following intravenous infusion of epinephrine into normal men, 936†
——, *see* BOWERS, J. Z., 921†
NELSON, W. O., *see* MADDOCK, W. O., 985*
NEMETH, M. R., *see* WERNER, S. C., 940†, 1349*, 1561*
NEWKIRK, J., *see* BOLING, L., 184*
NOBLE, R. L., *see* CARROL, K. K., 934†

OLSON, F., *see* PARTRIDGE, J. W., 929†
ORTEGA, P., *see* SHIMKIN, M. B., 439*
OTT, A. C.; KUIZENGA, M. H.; LYSTER, S. C., and JOHNSON, B. A.: Testosterone β-cyclopentylpropionate: a new long-acting androgen, 15*

PADAWER, J., and GORDON, A. S.: Hormonal influences upon the distribution and fate of the eosinophilic leukocyte, 922†
PALMER, J. G., *see* NELSON, D. H., 936†
PANISSET, M., *see* LEMONDE, P., 973†
PARKER, F., JR., *see* ROBBINS, S. L., 354*, 744*
PARSON, W., *see* CRISPELL, K. R., 881*, 977†
PARTRIDGE, J. W.; BOLING, L.; OLSON, F.; KIPP, E., and KINSELL, L. W.: Dietary modification of the effects of ACTH and cortisone, 929†
——, *see* BOLING, L., 184*
——, *see* KINSELL, L. W., 909*, 945†
PASCHKIS, K. E.; EPSTEIN, D.; CANTAROW, A., and FRIEDLER, G.: Influence of adrenal hormones on thyroid function in the hypophysectomized rat, 939†
——, *see* D'ANGELO, S. A., 976†
——, *see* FISHER, G., 1100*
PASQUALINI, R. Q.: (Letter to the Editor) Salicylates, anterior pituitary, adrenals and eosinophils, 1246*
PATTEE, C. J., *see* VENNING, E. H., 936†, 1409*
PAULSEN, C. A.: Gonadotropin suppression as a resultant of the conversion of androgen to estrogen, 914†

PEARLMAN, W. H., and CERCEO, E.: The isolation of progesterone from human placenta, 916†
PEARSON, O. H.; WEST, C. D.; HOLLANDER, V. P., and ESCHER, G. O.: Alterations in calcium metabolism in patients with osteolytic tumors, 926†
——, *see* HOLLANDER, V. P., 962†
PEARSON, S.; STERN, S., and MCGAVACK, T. H.: (Letter to the Editor) A rapid procedure for the determination of serum cholesterol, 966†, 1245*
——, *see* DREKTER, I. J., 55*
——, *see* MCGAVACK, T. H., 951†
PERILSTEIN, P. K., *see* FRIED, P. H., 953†
PERINETTI, H., *see* STANBURY, J. B., 191*
PERKINS, R. F., and RYNEARSON, E. H.: Practical aspects of insufficiency of the anterior pituitary gland in the adult, 574*
PERLMUTTER, M.; WEISENFELD, S.; SLATER, S., and WALLACE, E. Z., with technical assistance by DAVID, M. M.: A study of the mechanism of the inhibition of the thyroid gland induced by ingestion of thyroid substance, 208*
PERLOFF, W. H.; LEVY, L. M., and DESPOPOULOS, A.: The eosinophil response to stress of patients with surgically produced thalamic and hypothalamic lesions, 36*
PETERS, J. H., *see* DANOWSKI, T. S., 1572*
PETERSON, R. H., *see* BIDDULPH, C., 953†
PETIT, D. W., *see* STIRRETT, R. L., 719*
——, *see* STONE, H. H., 841*
PINCUS, G.: Some basic hormone problems, 1187*
——; HECHTER, O., and HOPKINS, T.: The inactivation of ACTH in mammalian blood, 920†
——, *see* ELMADJIAN, F., 642*
——, *see* MITTELMAN, A., 831*
——, *see* ROMANOFF, E. B., 968†
PLAMONDON, C. A.; WISWELL, J. G., and ASPER, S. P., JR.: The metabolic activity of 2′,6′diiodothyronine, an analogue of thyroxine, 976†
PONSE, K.: Masculinization of female rats through gravidic hormones in the presence or absence of the hypophysis, 955†
POPPEN, J. L., *see* HORRAX, G., 631*
——, *see* YOUNGHUSBAND, O. Z., 611*
PORTUONDO DE CASTRO, J. M., and MUÑIZ CANO, R.: (Letter to the Editor) ACTH therapy in 2 cases of rheumatoid arthritis and psoriasis coexisting with diabetes mellitus, 361*
POTTINGER, R. E., *see* DAVIS, M. E., 697*
POUTASSE, E., *see* SAVARD, K., 935†
QUERIDO, S.; KASSENAAR, A.; SCHUURS, M. A. M., and SELDENRATH, H. C.: A balance study of methylandrostenediol in a patient with hypogonadism, 1077*
RAILE, R. B., *see* KELLEY, V. C., 1140*
RAKER, J. W., *see* COPE, O., 875*
RAKOFF, A. E., and SOSNOWSKI, J. R.: The clearance of exogenous estrogen from the blood of women with normal and complicated pregnancies, 946†
——, *see* FRIED, P. H., 321*, 951†
RALL, J. E., *see* HOLLANDER, V. P., 962†
——, *see* MONEY, W. L., 1495*
——, *see* ROBBINS, J., 856*
RALLI, E. P., *see* KUHL, W. J., JR., 393*
RANDOLPH, J. D., *see* STIMMEL, B. F., 371*
RAPPORT, R. L., *see* MECKSTROTH, C. V., 1373*
RAWSON, R. W., *see* MONEY, W. L., 1495*
——, *see* ROBBINS, J., 856*
——, *see* SONENBERG, M., 938†, 1269*
REDDY, W. J.; FORSHAM, P. H., and JENKINS, D.: Estimation of conjugated corticosteroids in urine, 972†
REICHMAN, S., *see* APPEL, S. B., 979†
RENOLD, A. E.; JENKINS, D.; FORSHAM, P. H., and THORN, G. W.: The use of intravenous ACTH: a study in quantitative adrenocortical stimulation, 763*
REYNOLDS, T. B.; JACOBSON, G.; EDMONDSON, H. A.; MARTIN, H. E., and NELSON, C. H.: Pseudohypoparathyroidism: report of a case showing bony demineralization, 560*
RICHARDSON, E. M.; DOHAN, F. C., and JONES, J. H.: The urinary excretion of alpha-ketolic metabolites of adrenocortical hormones studied by paper chromatography, 971†
RIEPENHOFF, J. P., *see* ROTHCHILD, I., 480*
RIGGS, D. S., *see* GOTTSCHALK, C. W., 235*
——, *see* STANBURY, J. B., 191*
RILEY, C. L., *see* FISCHER, R. H., 890*
ROBBINS, J.; RALL, J. E.; BECKER, D. V., and RAWSON, R. W.: The nature of the serum iodine after large doses of I^{131}, 856*
ROBBINS, S. L., and PARKER, F., JR.: Studies on the mechanism of the spermatic release of the male North American frog (*Rana pipiens*). Reaction to various hormones, 354*
——, and PARKER, F., JR.: Studies on the mechanism of the spermatic release of the male North American frog (*Rana pipiens*). II. The role of the pituitary, adrenals and testes, 744*
ROBERTS, B., *see* DEMPSEY, E., 244*
ROBERTS, I. S., *see* GOLDZIEHER, J. W., 143*

ROBERTS, J., *see* INGBAR, S. H., 975†
ROBINSON, W. D., *see* WOLFSON, W. Q., 970††
RODRIGUEZ-CANDELA, J. L.: (Letter to the Editor) The hyperglycemic-glycogenolytic factor produced by the pancreas, 245*
RODRIGUEZ-SOTO, J., *see* STANBURY, J. B., 1480*
ROHDENBURG, G. L., and MANHEIMS, P. J.: A clinical laboratory procedure for the study of the general adaptation syndrome, 1031*
ROLAND, M.: (Letter to the Editor) A theory to explain anovulatory cycles, 136*
ROMANOFF, E. B.; UNGAR, F.; DORFMAN, R. I., and PINCUS, G.: The perfusion of the isolated human adrenal gland, 968†
ROMANOFF, L. P., *see* MITTELMAN, A., 831*
RONZONI, E.: The excretion of dehydroisoandrosterone during adrenal stimulation with adrenocorticotropic hormone, 527*
ROOT, H. F.: (Endocrine Review) Degenerative complications of diabetes: a review, 458*
ROSEMBERG, E.; CORNFIELD, J., and ANDERSON, E.: Bioassay of adrenal steroids, based on eosinophil counts in adrenalectomized mice. A statistical study, 933†
ROSENBERG, C. A.; WOODBURY, D. M., and SAYERS, G.: Inhibition of desoxycorticosterone-induced pathologic changes by adrenocorticotropic hormone and cortisone, 666*
ROSENFELD, R. R., *see* HELLMAN, L., 934†
ROSENMAN, R. H.; BYERS, S. O., and FRIEDMAN, M.: The mechanism responsible for the altered blood cholesterol content in deranged thyroid states, 1287*
——, recipient of First Honorable Mention, 1952 Van Meter Prize (Am. Goiter Assoc.), 1407
ROTHCHILD, I., and RIEPENHOFF, J. P.: (Letter to the Editor) The circulating eosinophil response to epinephrine in mongolism, 480*
RYNEARSON, E. H., *see* PERKINS, R. F., 574*

SAIER, E., *see* GRAUER, R. C., 947†
ST. ANDRE, A. F., *see* LEATHEM, J. H., 950†
SALAMON, I. I., and DOBRINER, K.: The isolation of a potential adrenal androgen from human urine after administration of ACTH, 967†
SALGADO, E., and SELYE, H.: Protection by hypophysectomy against some of the toxic effects of corticoid hormone overdosage, 974†
SALHANICK, H. A.; HISAW, F. L., and ZARROW, M. X.: The action of estrogen and progesterone on the gonadotropin content of the pituitary of the monkey (*Macaca mulatta*), 310*
SALTER, W. T., *see* Subject index, Obituaries
SAMUELS, L. T., *see* BOWERS, J. Z., 921†
——, *see* NELSON, D. H., 519*
SANDBERG, A. A., *see* NELSON, D. H., 936†
SAVARD, K.; DORFMAN, R. I., and POUTASSE, E.: Biogenesis of androgens in the human testis, 935†
——, *see* HAYNES, R., 972†
SAWYER, C. H.: Specific and nonspecific blocking effects of dibenamine congeners on the stress response in rats, 959†
SAYERS, G., *see* BROWN, R. W., 939†
——, *see* ROSENBERG, C. A., 666*
——, *see* SYDNOR, K., 920†
SCHAEFER, L. E.; DRACHMAN, S. R.; WANG, C.; SOLOMON, S., and ADLERSBERG, D.: Studies on the role of the thyroid in changes in blood lipids following cortisone administration, 963†
——, *see* BOOKMAN, J. J., 945†
SCHAFFENBURG, C. A., *see* MCCULLAGH, E. P., 3*
SCHLECKER, A. A., *see* APPEL, S. B., 979†
SCHNEIDER, R. W.; VAN OMMEN, R. A., and HOERR, S. O.: The hereditary occurrence of testes and absence of sexual hair in amenorrheic women: a type of pseudohermaphroditism, 423*
SCHULTZ, A. L., and JACOBSON, W. E.: The effect of propylthiouracil on the thyroid uptake of I^{131} and the plasma conversion ratio in hyperthyroidism, 1205*
SCHUURS, M. A. M., *see* QUERIDO, A., 1077*
SCHWARTZ, H. S., *see* BARKER, S. B., 978†
SCISM, G. R., *see* DREKTER, I. J., 55*
SEIDLIN, S. M.; YALOW, A. A., and SIEGEL, E.: Blood radioiodine concentration and blood radiation dosage during I^{131} therapy for metastatic thyroid carcinoma, 1197*
SELDENRATH, H. C., *see* QUERIDO, A., 1077*
SELYE, H., *see* LEMONDE, P., 973†
——, *see* SALGADO, E., 974†
SHANDS, H. C., and BARTTER, F. C.: A statistical analysis of the "ACTH test": changes in the eosinophil count in normal and in psychoneurotic subjects, 178*
SHAPIRO, I.: Topical estrogens: clinical effects and side actions, 751*
SHEARMAN, A. M.; VOGEL, M., and MCGAVACK, T. H.: Vaginal smear studies in postmenopausal women following varying doses of estrogens, 951†
SHERMAN, A. I., *see* HASKINS, A. L., 385*

SHIMKIN, M. B.; BOLDREY, E. B.; KELLY, K. H.; BIERMAN, H. R.; ORTEGA, P., NAFFZIGER, H. C.: Effects of surgical hypophysectomy in a man with malignant melanoma, 439*
SHORR, E., *see* CARTER, A. C., 928†, 1059*
——, *see* WHEDON, D. G., 928†
SIEGEL, A. N., *see* D'ANGELO, S. A., 976†
SIEGEL, E., *see* SEIDLIN, S. M., 1197*
SILVER, S., *see* SCHAEFER, L. E., 963†
SILVERMAN, S. H., *see* WILKINS, L., 257*, 277*, 1015*
SIMCOX, S. J., *see* MECKSTROTH, C. V., 1373*
SIMKIN, B.; STARR, P., and HANCOCK, C.: Serum thyrotropic hormone bioassays in patients exhibiting various thyroid states, 940†
SIMMONS, F. A., *see* BARTTER, F. C., 1532*
SKELTON, F. R.: The production of hypertension, nephrosclerosis and cardiac lesions by methylandrostenediol (17a-methyl-Δ^5-androstene 3β,17β-diol) treatment in the rat, 918†
SLATER, S., *see* PERLMUTTER, M., 208*
SMITH, O. W., and BARKER, C.: Factors influencing the composition of the sodium "pregnanediol" glucuronide complex in human pregnancy, with especial reference to diethylstilbestrol therapy, 151*
SMITH, R. W., JR.; DICKSON, L. C.; BRYAN, J. B., and LOWRIE, W. D.: Nasal administration of ACTH; observations of effectiveness measured by blood eosinopenic response, 958†
SMYRL, S., *see* KINSELL, L. W., 945†
SNIFFEN, R. C., *see* BARTTER, F. C., 1532*
SOFFER, L. J.; GABRILOVE, J. L., and WOLF, B. S.: Effect of ACTH on thymic masses, 690*
——, *see* BOAS, N., 965†
——, *see* GABRILOVE, J. L., 966†
——, *see* LUDWIG, A. W., 930†, 965†
——, *see* SOHVAL, A. R., 960†, 1053*, 1229*
SOHVAL, A. R., and SOFFER, L. J.: Congenital testicular deficiency, I. Absence of spermatogonia, Sertoli and Leydig cells as a cause of eunuchoidism with cryptorchidism, 1229*
——, and SOFFER, L. J.: The effect of ACTH cortisone and surgical stress on urinary gonadotropin excretion, 960†
——, WEINER, I., and SOFFER, L. J.: The effect of surgical procedures on urinary gonadotropin excretion, 1053*
SOLEY, M. H., *see* LINDSAY, S., 1578*
SOLOMON, M. M., *see* HECHTER, O., 935†
SONENBERG, M.; KESTON, A. S. MONEY, W. L., and RAWSON, R. W.: Radioactive thyrotropic hormone preparations, 1269*
——; MONEY, W. L.; RAWSON, R. W., and KESTON, A. S.: Radioactive growth hormone preparations, 938†
——, recipient of 1952 Van Meter Prize (Am. Goiter Assoc.), 1406
SOSNOWSKI, J. R., *see* RAKOFF, A. E., 946†
SOTO, *see* RODRIGUEZ-SOTO
SPAULDING, K. H., *see* NATHANSON, I. T., 1172*
SPEIRS, R. S.: Assay of ACTH activity based on eosinopenic response of normal mice, 933†
SPRINKLE, P., *see* CRISPELL, K. R., 977†
STANBURY, J. B.; BROWNELL, G. L.; BARZELATTO, J.; CORREA, J.; MAISTERRENA, J.; CORTAZAR, J., and RODRIGUEZ-SOTO, J.: The metabolic fate of I^{131} after large therapeutic doses in patients with metastatic carcinoma of the thyroid, 1480*
——; BROWNELL, G. L.; RIGGS, D. S.; PERINETTI, H.; DEL CASTILLO, E., and ITOIZ, J., with the assistance of HOUSSAY, A.; TRUCCO, E., and YACIOFANO, A. C.: The iodine-deficient human thyroid gland. A preliminary report, 191*
——, *see* GOLDSMITH, R. E., 846*
——, *see* WYNGAARDEN, J. B., 973†
STARR, A. M.: Personality changes in Cushing's syndrome, 502*
STARR, P., *see* CATZ, B., 228*
——, *see* SIMKIN, B., 940†
——, *see* STIRRETT, R. L., 719*
——, *see* STONE, H. H., 841*
STEALY, C. L., *see* STIMMEL, B. F., 489*
STEIN, M.; JINKS, R., and MIRSKY, I. A.: The assay of antidiuretic substances, 961†
STEINBACH, H. L., *see* KOLB, F. O., 964†
STEINER, M. M. W.: Rare dwarfism with chronic hypoglycemia and convulsions: observations on ACTH and thyroid, 921†
STENHOUSE, N. S., *see* HETZEL, B. S., 296*
STEPHENSON, N. R., and TAYLOR, J. C.: The assay of 11-oxycorticosteroids by means of liver reducing substances in adrenalectomized animals, 934†
STERN, S., *see* DREKTER, I. J., 55*
——, *see* PEARSON, S., 966†, 1245*
STEVENS, E., *see* CARTER, A. C., 1059*
STIMMEL, B. F.: The nature and extent of estrogen conjugation as reflected in human pregnancy urine, 950†
——, and STEALY, C. L.: A study of the metabolism of single therapeutic doses (2.0 mg.) of estrone in the preovulatory and postovulatory phases of the menstrual cycle in healthy women, 489*

——, with the technical assistance of Randolph, J. D., and Conn, W. M.: A procedure for concomitant photometric estimation of pregnanediol and estrogens in human urine, 371*
——, *see* Landau, R. L., 915†
Stirrett, R. L.; Petit, D. W., and Starr, P.: Therapeutic studies in hyperthyroidism: methylthiouracil, 719*
Stone, H. H.; Petit, D. W., and Starr, P.: Therapeutic studies in hyperthyroidism: methimazole, 841*
Strand, F. L., and Gordon, A. S.: The influence of epinephrine on the glycogen content and respiration of lymphoid and other organs, 956†
Streeten, D. H. P., *see* Dingman, J. F., 925
Sturgis, S. H., *see* Goldsmith, R. E., 846*
Sweat, M. L. and Farrell, G. L.: Resolution and quantitative analysis of steroids in adrenal-vein blood, 968†
Sydnor, K. L., and Sayers, G.: Blood ACTH in rat and man, 920†

Tarail, R., *see* Danowski, T. S., 1572*
Tarver, H., *see* Margen, S., 962†
Taubenhaus, M.; Taylor, B., and Morton, J. V.: Hormonal interaction regulating granulation tissue development, 930†
Taylor, B., *see* Taubenhaus, M., 930†
Test, C. E., *see* Davis, M. E., 697*
Thomas, R. F., *see* Booker, W. M., 346*
Thompson, P. K., *see* Thompson, W. O., 943†
Thompson, R. E., *see* Fisher, J. D., 967†
Thompson, W. O.: The present status of the treatment of toxic goiter, 130*
——; Thompson, P. K., and Mandernach, D. M.: Acromegaly followed by panhypopituitarism, 943†
Thorn, G. W., *see* Dingman, J. F., 925†
——, *see* Fredrickson, D. S., 541*
——, *see* Jenkins, D., 957†
——, *see* Laidlaw, J. C., 971†
——, *see* Renold, A. E., 763*
Tighe, W. J.: Temporary hypoparathyroidism following radioactive iodine treatment for thyrotoxicosis, 1220*
Togashi, S., *see* Kupperman, H. S., 949†
Toscani, V., *see* Carter, A. C., 1059*
Trucco, E., *see* Stanbury, J. B., 191*
Trunnell, J. B.; Brayer, F. T., and Awapara, J.: The influence of folic acid antagonists upon the accessory sex tissues of male rats, 946†
——, *see* Brayer, F. T., 917†
Tullner, W. W., and Hertz, R.: High progestational activity of 19-norprogesterone, 916†
——, *see* Evans, J. M., 495*
Tulsky, A. S., *see* Guterman, H. S., 919†
Tureman, J. R., *see* Booker, W. M., 346*

Underdahl, L. O.; Woolner, L. B., and Black, B. M.: Multiple endocrine adenomas: report of 8 cases involving the parathyroids, pituitary and pancreas, 944†
Ungar, F., *see* Romanoff, E. B., 968†
Ureles, A. L., *see* Freedberg, A. S., 86*

Van Ommen, R. A., *see* Schneider, R. W., 423*
Venning, E. H.; Pattee, C. J.; McCall, F., and Browne, J. S. L.: Effect of cortisone on the excretion of 17-ketosteroids in adrenal tumor, 1409*
——; Pattee, C. J., and McCall, F.: The effect of cortisone on the excretion of 17-ketosteroids in patients with adrenal tumor, 936†
Villaverde, M. M.: Hyperfunctional endocrinopathies treated with toxins. Preliminary report, 966†
Visscher, M. B., *see* Halberg, F., 932†
Vogel, M., *see* Shearman, A. M., 951†

Wagner, F. B., Jr., *see* Fried, P. H. 953†
Wallace, E. Z., *see* Perlmutter, M., 208*
Wang, C., *see* Schaeffer, L. E., 963†
Waterhouse, C.; Keutmann, E. H., and Fenninger, L. D.: Studies of electrolyte metabolism in 2 patients with pituitary insufficiency, 798*
Weiner, I., *see* Sohval, A. R., 1053*
Weisenfeld, S., *see* Perlmutter, M., 208*
Weissberg, J., *see* McGavack, T. H., 951†
Weissman, L.: Periodic paralysis associated with thyrotoxicosis: a case report, 1223*
Wells, B. B., see Wortham, J. T., 959†
Welsh, J. E., *see* Krupp, M. A., 1163*
Werner, S. C.; Hamilton, H., and Nemeth, M.: Graves' disease: hyperthyroidism or hyperpituitarism? 940†, 1561*
——; Hamilton, H., and Nemeth, M. R.: Therapeutic effects from repeated diagnostic doses of I^{131} in adult and juvenile hyperthyroidism, 1349*
——, *see* Hamilton, H. B., 1083*
Werthessen, N. T., and Gargill, S. L.: The use of monobenzyl ether of stilbestrol in the treatment of functional amenorrhea (chronic secondary amenorrhea). A preliminary report, 169*
Wset, C. D.; Hollander, V. P.; Kritchevsky, T. H., and Dobriner, K.: The isolation and identification of testosterone, Δ^4-androstenedione-3,17,

and 7-ketocholesterol from spermatic vein blood, 915†
——, *see* HOLLANDER, V. P., 962†
——, *see* PEARSON, O. H., 926†
WHEDON, D. G., and SHORR, E.: Calcium loss in paralytic poliomyelitis and its quantitative relationship to the development of demonstrable osteoporosis, 928†
WIESBADER, H., *see* BLATT, M., 948†
——, *see* KUPPERMAN, H. S., 949†
WILKINS, L.; CRIGLER, J. F., JR.; SILVERMAN, S. H.; GARDNER, L. I., and MIGEON, C. J.: Further studies on the treatment of congenital adrenal hyperplasia with cortisone. II. The effects of cortisone on sexual and somatic development, with an hypothesis concerning the mechanism of feminization, 277*
——; CRIGLER, J. F., JR.; SILVERMAN, S. H.; GARDNER, L. I., and MIGEON, C. J.: Further studies on the treatment of congenital adrenal hyperplasia with cortisone. III. The control of hypertension with cortisone, with a discussion of variations in the type of congenital adrenal hyperplasia and report of a case with probable defect of carbohydrate-regulating hormones, 1015*
——; GARDNER, L. I.; CRIGLER, J. F., JR.; SILVERMAN, S. H., and MIGEON, C. J.: Further studies on the treatment of congenital adrenal hyperplasia with cortisone. I. Comparison of oral and intramuscular administration of cortisone with a note on the suppressive action of compounds F and B on the adrenal, 257*
WILKINS, R. B., and CARLSON, L. D.: Qualitative studies of neutral 17-ketosteroids in normal subjects, 647*
WILLIAMS, R. H., and HOGNESS, J. R.: Effect of Amphenone "B" on the function of the thyroid, adrenals and testes, 943†
WILMER, G., *see* EVANS, J. M., 495*
WILSON, H.; FAIRBANKS, R., and BUNIM, J. J.: Correlation of chromatographic fractions of urinary corticosteroids with adrenal cortical function after cortisone therapy, 969†
——, *see* KUHL, W. J., JR., 393*
WIRTH, P., *see* DANOWSKI, T. S., 1454*, 1572*
WISWELL, J. G., *see* PLAMONDON, C. A., 976†
WITSCHI, E.: An experimental adrenogenital syndrome in the frog, 922†
WOJACK, A. J., *see* ZIMMERMANN, B., 972†
WOLF, B. S., *see* SOFFER, L. J., 690*
WOLFSON, W. Q.; EYA, M., and ROBINSON, W. D.: Human corticosterone metabolism. I. Corticosterone the principal precursor of urinary neutral Pettenkofer chromogens (dehydroepiandrosterone and derivatives), 970†
——; ROBINSON, W. D.; HEMMERLINE, A., and EYA, M.: Human corticosterone metabolism. II. Evidence for simultaneous corticosterone and hydrocortisone secretion by stimulated normal human adrenals, 970†
WOOD, O., *see* EVANS, J. M., 495*
WOODBURY, D. M.: Hormones and brain excitability, 924†
——, *see* BROWN, R. W., 939†
——, *see* ROSENBERG, C. A., 666*
WOOLNER, L. B., *see* UNDERDAHL, L. O., 944†
WORTHAM, J. T., and HAMBLEN, E. C.: Polyostotic fibrous dysplasia with sexual precocity and pigmentation (Albright's syndrome) and associated non-neoplastic acromegaly, 975†
——, and WELLS, B. B.: The endocrine pharmacodynamics of renal tubular concentratability, 959†
WRENN, H. T., *see* KRUPP, M. A., 1163*
WURL, O. A., *see* BLOHM, R. W., JR., 929†
WYNGAARDEN, J. B., and STANBURY, J. B.: The effect of perchlorate on the human thyroid gland, 973†

YACIOFANO, A. C., *see* STANBURY, J. B., 191*
YALOW, A. A., *see* SEIDLIN, S. M., 1197*
YALOW, R. S., *see* BERSON, S. A., 407*
YEE, G., *see* LINDSAY, S., 1578*
YOST, B., *see* LEVIN, M. H., 506*
YOUNG, J. P., *see* EVANS, J. M., 495*
YOUNGHUSBAND, O. A.; HORRAX, G.; HURXTHAL, L. M.; HARE, H. F., and POPPEN, J. L.: Chromophobe pituitary tumors. I. Diagnosis, 611*
——, *see* HORRAX, G., 631*

ZARROW, M. X., *see* SALHANICK, H. A., 310*
ZIFF, M., *see* KUHL, W. J., JR., 554*
ZIMMERMANN, B., and WOJACK, A. J.: Effect of surgery and adrenal stimulation on the excretion of pregnanediol-like material in men, 972†
ZYGMUNTOWICZ, A. S., *see* COOK, C. D., 725*

SUBJECT INDEX TO VOLUME 12

* Original article.
† Abstract of paper presented at the Thirty-fourth Annual Meeting of the Endocrine Society.

ABNORMALITIES: *see* Congenital anomalies; Familial; and under various endocrine disorders
ABORTION: *see* Pregnancy
ABSTRACTS of papers presented at the 34th Annual Meeting of the Endocrine Society, Chicago, Ill. (June 1952), 914†
ACNE: *see* Skin
ACROMEGALY: *see* Pituitary disorders
ACTH: *see* Pituitary preparations, ACTH
ADDISON'S DISEASE: *see also* Adrenal disorders; Steroids
—— blood in: *see also* Blood; and under various chemical elements
—— carbohydrate metabolism in: *see also* Carbohydrate metabolism
—— desoxycorticosterone trimethylacetate in treatment of, 957†
—— electrolyte metabolism in: *see also* Electrolytes
—— eosinophils in: *see also* Blood, cells
—— effect of cortisone on intravascular water in, 925†
—— effect of glucose on eosinophils in, 1095*
—— effect of i.v. ACTH on 17-KS & eosinophils in, 763*
—— in male; estrogen excretion in, following CG therapy, 985*
—— measuring cortisone & comp. F excretion in, 1163*
—— pigmentation; also seen following ACTH & cortisone, 923†
—— therapy: *see also* Adrenals, preparations
—— urine in: *see also* Adrenals, preps. & compounds: Steroids
—— *vs.* pituitary insufficiency; differential diagnosis, 574*
ADRENALIN: *see* Adrenals, prep. & compounds, epinephrine
ADRENALS
DISORDERS
—— Addison's disease: *see* Addison's disease
—— adrenogenital syndrome; attempt to measure endogenous androgen production in, 1059*
— effect of progesterone, estrogen & cortisone on androgen secretion in, 948†
— experimental, in the frog, 922†
— 17-KS excretion in, 1551*
—— congenital adrenal hyperplasia; metabolism studies: effect of cortisone, 1140*
— treatment with cortisone, 257*, 277*
ADRENALS (*cont.*)
DISORDERS (*cont.*)
congenital adrenal hyperplasia (*cont.*)
— variations in type; control of hypertension with cortisone, 1015*
—— cortical hypofunction in diabetic hypothyroidism, 974†
—— cortical insufficiency; eosinophil pattern in, 922†
—— Cushing's syndrome: *see* Cushing's syndrome
—— hyperadrenocorticism treated with toxins, 966†
—; urinary dehydroisoandrosterone in, 1117*
—; urinary estrogens & 17-KS in; influence of cortisone, comps. B & F, & ACTH, 1513*
—— hypoadrenalism & other endocrinopathies; effect of GH in, 881*
—— of medulla: *see* Adrenal disorders, tumor
—— precocious puberty: *see also* Puberty, precocious
—— virilism: *see also* Virilism
Tumor
—— adrenal cortical, causing hirsutism but no other virilization, 50*
—— effect of cortisone on 17-KS in, 936†
—— effect of cortisone on; 17-KS & corticoid excretion in, 1409*
—— estrogen-secreting, causing male hypogonadism, 915†
—— pheochromocytoma & adrenal cortical adenoma; both in 1 patient, 875*
—— with Cushing's syndrome; personality changes in, 502*
PHYSIOLOGY AND PATHOLOGY
—— (ACTH) adrenocorticotropic hormone: *see* Pituitary preparations
—— adrenal cortex & sulphur metabolism, 931†
—— adrenal stimulation & surgery; effect on excretion of pregnanediol-like material in men, 972†
—— adrenal-vein blood; resolution & quant. analysis of, 968†
—— adrenalectomy; effect on parabiotic hypertension in the rat, 960†
—— changes in, produced by PHP, 1454*
—— cortical function in hypertension, 296*
—— cortical response of thiouracil-treated rats to cold, 941†

ADRENALS (*cont.*)
PHYSIOLOGY AND PATHOLOGY (*cont.*)
—— effect of stress on urinary gonadotropins, 1053*
—— extra-adrenal effect of commercial ACTH in adren'd-hypop'd rat, 1601*
—— function; effect of Amphenone "B" on, 943†
—— function in chronic pulmonary TBC, 957†
—— isolated, human; perfusion of, 968†
—— pituitary-adrenal system; relation to effect of glucose on eosinophils, 1095*
—— quant. adrenal cortical stimulation by i. v. ACTH, 763*
—— relation to pituitary, eosinophils & salicylates, 1246*
—— role of ascorbic acid in, 346*
—— role of, in mechanism of sperm release in frog, 744*
—— status of, in gout, 506*
—— suppressive action of cortisone & comps. B & F on adrenal, 257*
PREPARATIONS AND COMPOUNDS
—— adrenal androgen, potential; isolation of from urine after ACTH, 967†
—— adrenal androgen: *see also* Androgens
—— adrenal compounds; effect on concomitant excretion of pregnanediol & estrogen, 371*
—— adrenal hormones: influence on thyroid function in hypop'd rat, 939†
—— compounds B & F; effect on electroshock threshold, 961†
—— compounds B & F; effect on 17-KS in congen. adrenal hyperplasia, 257*
—— conjugated corticosteroids in urine; estimation of, 972†
—— cortical hormones: an *in vitro* effect of ACTH on, 972†
—; excretion of alpha-ketolic metabolites of, 971†
—; relation to experimental diabetes, 944†
—— corticoid excretion, by normal and schizophrenic men, 831*
— in gout; effect of treatment, 506*
— in secondary amenorrhea treated with ACTH, 697*
—— corticoid overdosage; protection by hypophysectomy, 974†
—— corticosteroid excretion; correlation of, with cortical function after cortisone therapy, 969†
—— corticosteroid metabolism in isolated perfused rat livers, 935†
—— corticosterone & hydrocortisone; simult. secretion of, by stim'd adrenals, 970†
—— corticosterone; precursor of dehydroepiandrosterone, 970†
——DCA (desoxycorticosterone):— & saline; effect of, in bilat'y adren'd monkey, 925†
—; effect in chromophobe adenoma of pituitary, 631*
—; pathologic changes induced by, 666*
— -trimethylacetate in treatment of Addison's disease, 957†
—— dehydroepiandrosterone; cortisone & hydrocortisone as precursors of, 969†
—— dehydroisoandrosterone & 17-KS; excretion of during adrenal stimulation with ACTH, 527*
—— glucocorticoids in hypertension, 296*
—— 17-hydroxycorticosteroids of blood; effect of whole-body irradiation on, 921†
— in congen. adrenal hyperplasia; effect of cortisone on, 1140*
— method for, 519*
—— 17-ketosteroids: *see* Steroids, 17-ketosteroids
—— Lipo-adrenal Cortical Extract (oral & injected); dose response in man, 642*
—— 11-oxycorticosteroids; assay via liver-reducing substs. in adren'd animals, 934†
—— steroids; bioassay of, by eosinopenic response in mice, 933†
—— steroids: *see also* Steroids
—— urinary alpha-ketolic metabolites of cortical hormones studied chromatographically, 971†
Cortisone (compound E)
—— accelerator of neoglucogenesis from fat, 945†
—— alteration of thyroid function by, 554*
—— and ACTH; 2-yr. follow-up in pemphigus foliaceus, 1239*
—— and ACTH *vs.* salicylates, 454*
—— and antibiotics in treatment of generalized peritonitis, 184*
—— and compound F; measurement of excretion of, using Porter-Silber method, 1163*
—— and comps. B & F, & ACTH; influence on urinary estrogens and 17-KS in hyperadrenocorticism, 1513*
—— and DCA in treatment of malignant melanoma, following hypophysectomy, 439*
—— and hydrocortisone; influence on ur. dehydroisoandrosterone in hyperadrenocorticism, 1117*
—— and thyroxine; catabolic action of, 962†
—— control of hypertension with, in congen. adrenal hyperplasia, 1015*
—— dietary modification of effects of, 929†
—— effect on:—congen. adrenal hyperplasia; metabolic studies, 1140*
— ascorbic acid tolerance & blood cholesterol, 346*

SUBJECT INDEX TO VOLUME 12

* Original article.
† Abstract of paper presented at the Thirty-fourth Annual Meeting of the Endocrine Society.

ABNORMALITIES: *see* Congenital anomalies; Familial; and under various endocrine disorders
ABORTION: *see* Pregnancy
ABSTRACTS of papers presented at the 34th Annual Meeting of the Endocrine Society, Chicago, Ill. (June 1952), 914†
ACNE: *see* Skin
ACROMEGALY: *see* Pituitary disorders
ACTH: *see* Pituitary preparations, ACTH
ADDISON'S DISEASE: *see also* Adrenal disorders; Steroids
—— blood in: *see also* Blood; and under various chemical elements
—— carbohydrate metabolism in: *see also* Carbohydrate metabolism
—— desoxycorticosterone trimethylacetate in treatment of, 957†
—— electrolyte metabolism in: *see also* Electrolytes
—— eosinophils in: *see also* Blood, cells
—— effect of cortisone on intravascular water in, 925†
—— effect of glucose on eosinophils in, 1095*
—— effect of i.v. ACTH on 17-KS & eosinophils in, 763*
—— in male; estrogen excretion in, following CG therapy, 985*
—— measuring cortisone & comp. F excretion in, 1163*
—— pigmentation; also seen following ACTH & cortisone, 923†
—— therapy: *see also* Adrenals, preparations
—— urine in: *see also* Adrenals, preps. & compounds: Steroids
—— *vs.* pituitary insufficiency; differential diagnosis, 574*
ADRENALIN: *see* Adrenals, prep. & compounds, epinephrine
ADRENALS
DISORDERS
—— Addison's disease: *see* Addison's disease
—— adrenogenital syndrome; attempt to measure endogenous androgen production in, 1059*
— effect of progesterone, estrogen & cortisone on androgen secretion in, 948†
— experimental, in the frog, 922†
— 17-KS excretion in, 1551*
—— congenital adrenal hyperplasia; metabolism studies: effect of cortisone, 1140*
— treatment with cortisone, 257*, 277*
ADRENALS (*cont.*)
DISORDERS (*cont.*)
congenital adrenal hyperplasia (*cont.*)
— variations in type; control of hypertension with cortisone, 1015*
—— cortical hypofunction in diabetic hypothyroidism, 974†
—— cortical insufficiency; eosinophil pattern in, 922†
—— Cushing's syndrome: *see* Cushing's syndrome
—— hyperadrenocorticism treated with toxins, 966†
—; urinary dehydroisoandrosterone in, 1117*
—; urinary estrogens & 17-KS in; influence of cortisone, comps. B & F, & ACTH, 1513*
—— hypoadrenalism & other endocrinopathies; effect of GH in, 881*
—— of medulla: *see* Adrenal disorders, tumor
—— precocious puberty: *see also* Puberty, precocious
—— virilism: *see also* Virilism
Tumor
—— adrenal cortical, causing hirsutism but no other virilization, 50*
—— effect of cortisone on 17-KS in, 936†
—— effect of cortisone on; 17-KS & corticoid excretion in, 1409*
—— estrogen-secreting, causing male hypogonadism, 915†
—— pheochromocytoma & adrenal cortical adenoma; both in 1 patient, 875*
—— with Cushing's syndrome; personality changes in, 502*
PHYSIOLOGY AND PATHOLOGY
—— (ACTH) adrenocorticotropic hormone: *see* Pituitary preparations
—— adrenal cortex & sulphur metabolism, 931†
—— adrenal stimulation & surgery; effect on excretion of pregnanediol-like material in men, 972†
—— adrenal-vein blood; resolution & quant. analysis of, 968†
—— adrenalectomy; effect on parabiotic hypertension in the rat, 960†
—— changes in, produced by PHP, 1454*
—— cortical function in hypertension, 296*
—— cortical response of thiouracil-treated rats to cold, 941†

ADRENALS (*cont.*)
PHYSIOLOGY AND PATHOLOGY (*cont.*)
—— effect of stress on urinary gonadotropins, 1053*
—— extra-adrenal effect of commercial ACTH in adren'd-hypop'd rat, 1601*
—— function; effect of Amphenone "B" on, 943†
—— function in chronic pulmonary TBC, 957†
—— isolated, human; perfusion of, 968†
—— pituitary-adrenal system; relation to effect of glucose on eosinophils, 1095*
—— quant. adrenal cortical stimulation by i. v. ACTH, 763*
—— relation to pituitary, eosinophils & salicylates, 1246*
—— role of ascorbic acid in, 346*
—— role of, in mechanism of sperm release in frog, 744*
—— status of, in gout, 506*
—— suppressive action of cortisone & comps. B & F on adrenal, 257*
PREPARATIONS AND COMPOUNDS
—— adrenal androgen, potential; isolation of from urine after ACTH, 967†
—— adrenal androgen: *see also* Androgens
—— adrenal compounds; effect on concomitant excretion of pregnanediol & estrogen, 371*
—— adrenal hormones: influence on thyroid function in hypop'd rat, 939†
—— compounds B & F; effect on electroshock threshold, 961†
—— compounds B & F; effect on 17-KS in congen. adrenal hyperplasia, 257*
—— conjugated corticosteroids in urine; estimation of, 972†
—— cortical hormones: an *in vitro* effect of ACTH on, 972†
—; excretion of alpha-ketolic metabolites of, 971†
—; relation to experimental diabetes, 944†
—— corticoid excretion, by normal and schizophrenic men, 831*
— in gout; effect of treatment, 506*
— in secondary amenorrhea treated with ACTH, 697*
—— corticoid overdosage; protection by hypophysectomy, 974†
—— corticosteroid excretion; correlation of, with cortical function after cortisone therapy, 969†
—— corticosteroid metabolism in isolated perfused rat livers, 935†
—— corticosterone & hydrocortisone; simult. secretion of, by stim'd adrenals, 970†
—— corticosterone; precursor of dehydroepiandrosterone, 970†
——DCA (desoxycorticosterone):— & saline; effect of, in bilat'y adren'd monkey, 925†
—; effect in chromophobe adenoma of pituitary, 631*
—; pathologic changes induced by, 666*
— -trimethylacetate in treatment of Addison's disease, 957†
—— dehydroepiandrosterone; cortisone & hydrocortisone as precursors of, 969†
—— dehydroisoandrosterone & 17-KS; excretion of during adrenal stimulation with ACTH, 527*
—— glucocorticoids in hypertension, 296*
—— 17-hydroxycorticosteroids of blood; effect of whole-body irradiation on, 921†
— in congen. adrenal hyperplasia; effect of cortisone on, 1140*
— method for, 519*
—— 17-ketosteroids: *see* Steroids, 17-ketosteroids
—— Lipo-adrenal Cortical Extract (oral & injected); dose response in man, 642*
—— 11-oxycorticosteroids; assay via liver-reducing substs. in adren'd animals, 934†
—— steroids; bioassay of, by eosinopenic response in mice, 933†
—— steroids: *see also* Steroids
—— urinary alpha-ketolic metabolites of cortical hormones studied chromatographically, 971†
Cortisone (compound E)
—— accelerator of neoglucogenesis from fat, 945†
—— alteration of thyroid function by, 554*
—— and ACTH; 2-yr. follow-up in pemphigus foliaceus, 1239*
—— and ACTH *vs.* salicylates, 454*
—— and antibiotics in treatment of generalized peritonitis, 184*
—— and compound F; measurement of excretion of, using Porter-Silber method, 1163*
—— and comps. B & F, & ACTH; influence on urinary estrogens and 17-KS in hyperadrenocorticism, 1513*
—— and DCA in treatment of malignant melanoma, following hypophysectomy, 439*
—— and hydrocortisone; influence on ur. dehydroisoandrosterone in hyperadrenocorticism, 1117*
—— and thyroxine; catabolic action of, 962†
—— control of hypertension with, in congen. adrenal hyperplasia, 1015*
—— dietary modification of effects of, 929†
—— effect on:—congen. adrenal hyperplasia; metabolic studies, 1140*
— ascorbic acid tolerance & blood cholesterol, 346*

ADRENALS (*cont.*)
PREPARATIONS AND COMPOUNDS (*cont.*)
Cortisone (compound E) (cont.)
— blood lipids; role of thyroid in, 963†
— development of experimental exophthalmos, 930†
— distribution & fate of eosinophils in rats, 922†
— excretion of 17-KS in adrenal tumor, 936† 1409*
— I^{131} uptake of thyroid in euthyroidism, 407*
— intravascular water in Addison's disease, 925†
— nucleic acid of tissues following toxin admin., 932†
— response to *dl*-thyroxine in myxedema, 1306*
— urinary gonadotropin, 960†
—— graded doses of; effect on eosinophils in mice, 932†
—— in study of modification of response to prolonged ACTH therapy, 1040*
—— in study of radiosulphur metabolism, 962†
—— in treatment of gout, 506*
—— in treatment of pituitary insufficiency, 574,* 943†
—— inhibition of DCA-induced pathologic changes by, 666*
—— massive therapy with; effect on thyroid function, 541*
—— oral *vs.* i.m.; treatment of congen. adrenal hyperplasia with, 257*
——pigmentation following admin. of, 923†
—— response to; effect of other steroids on, 958†
—— *vs.* salicylates, 1249*
Epinephrine
—— content of pheochromocytoma; relation to adrenal cortical adenoma in same patient, 875*
—— effect on sperm release of frog, 354*
—— eosinophil response to, in congen. adrenal hyperplasia; effect of cortisone on, 1140*
—— eosinophil response to, in thalamic lesions, 36*
—— influence of, on glycogen & respiration of lymphoid and other organs, 956†
—— i.v.; 17-hydroxycorticosteroids of blood following, 936†
—— response of eosinophils to, in mongolism and cretinism, 480*
—— role of, in mechanism of sperm release in frog, 744*
—— *vs.* ACTH, in effect on adrenal cortical activity, 924†
ALBRIGHT'S SYNDROME: *see* Syndrome
ALCOHOLS, nonketogenic; effect of androgens on excretion of, 1172*
ALLERGISTS, American College of: *see* American College of Allergists
ALLOXAN: *see* Diabetes mellitus
AMENORRHEA: *see* Menstruation
AMERICAN COLLEGE OF ALLERGISTS; Annual Meeting and Graduate Course, 370
AMERICAN DIABETES ASSOCIATION
—— Annual Meeting, Chicago, Ill., 1952; joint session with the Endocrine Society
— program, 487
— abstracts of program papers, 943†
—— International Diabetes Federation Congress; announcements of, 253, 370
AMERICAN GERIATRICS SOCIETY; 1952 Annual Meeting; announcement of, 608
AMERICAN GOITER ASSOCIATION
ANNUAL MEETINGS
—— May 1952, St. Louis, Mo.
— announcements of, 142, 252, 366, 488
— program of, 366
—— May 1953, Chicago, Ill.
— announcements of, 1114, 1254, 1406, 1512, 1605
VAN METER PRIZE AWARD
—— for 1952
— announcements of, 142, 252
— essays winning prize and honorable mentions, 1269*, 1287*, 1300
— recipients of, and honorable mentions, 1406
—— for 1953
— announcements of, 1114, 1254, 1406, 1512, 1605
AMINO ACIDS: *see* Protein
AMPHENONE "B"; effect of, on function of thyroid, adrenals & testes, 943†
ANALOGUES of thyroxine: *see* Thyroid, preps. & compounds
ANDROGENS: *see also* Testis; Steroids
—— and CG in treatment of chromophobe adenoma of pituitary, 631*
—— biogenesis of, in human testis, 935†
—— comparison of several with anabolic activity, 951†
—— conversion to estrogen; suppression of gonadotropin by, 914†
—— dehydroepiandrosterone & testosterone; effect of, on urinary alcohols & steroids, 1172*
—— effect on serum lipids & B-lipoproteins, 963†
—— endogenous production of, in adrenogenital syndrome; attempt to measure, 1059*
—— excretion of, following orchiectomy, 971†
—— excretion of: *see also* Steroids
—— in treatment of pituitary insufficiency, 574*
—— isolated from spermatic vein blood, 915†
—— methylandrostenediol; balance study in hypogonadism, 1077*
—— methylandrostenediol; production of hypertension, nephrosclerosis & car-

ANDROGENS (*cont.*)
diac lesions by, in rat, 918†
—— potential adrenal androgen; isolation of from urine, after ACTH, 967†
—— secretion of, in adrenogenital syndrome; effect of progesterone, estrogen & cortisone on, 948†
—— stimulation of: *see* Gonadotropins
—— testosterone; activity of, as influenced by esterification & vehicle, 950†
— beta-cyclopentylpropionate, 3*, 15*
— following APL, in therapy of "eunuchoidism with low FSH"; fertility, 1532*
— in treatment of gout, 506*
— series of esters of; effect on seminal vesicles & prostate growth, in rats, 15*
— three preparations of; comparison of effectiveness, 3*, 15*
— various forms of; action & effectiveness, 952†
ANNOUNCEMENTS: *see* Endocrine Society and American College of Allergists, American Diabetes Association, American Geriatrics Society, American Goiter Association, Harvard Medical School, International Diabetes Federation, Jefferson Medical College, Laurentian Hormone Conference, New York Academy of Medicine, University of Minnesota, U.S. Atomic Energy Commission
ANNUAL MEETINGS: *see* Announcements
ANOREXIA NERVOSA *vs.* pituitary insufficiency; differential diagnosis, 574*
ANTIBIOTICS, with ACTH or cortisone, in treatment of generalized peritonitis, 184*
ANTIDIURETIC substances; assay of, 961†
ANTITHYROID DRUGS: *see also* Thyroid
—— iodothiouracil: *see* Thiouracil
—— in treatment of toxic goiter, 130*
—— measurement of thyroid epithelium after, 228*
—— mercaptoimidazole: *see* Mercaptoimidazole
—— plus thyroidectomy; incidence of recurrent hyperthyroidism after; treatment, 1389*
—— thiouracil: *see* Thiouracil
ARCTIC; PBI & BMR of soldiers and Eskimos in, 235*
ARGENTINA; goiter in, 191*
ARRHENOBLASTOMA: *see* Ovary
ARTERIES: *see* Vascular system
ARTHRITIS: *see also* Gout
—— steroid excretion in, in males, 831*
—— rheumatoid; alteration of thyroid function in, by ACTH and cortisone, 554*
— associated with psoriasis & diabetes; treatment with ACTH, 361*
— effect of androgens on urinary steroids in, 1172*
— measuring cortisone & comp. F excretion in, 1163*
ASCORBIC ACID: *see* Vitamins, C
ASSEMBLY, POSTGRADUATE, IN ENDOCRINOLOGY: *see* Endocrine Society
ASSOCIATION FOR THE STUDY OF INTERNAL SECRETIONS: *see* Endocrine Society
ATOMIC ENERGY COMMISSION: *see* United States
AUTHOR INDEX to Volume 12, 1606
AWARDS (including Fellowships): *see* Endocrine Society; American Goiter Association; Jefferson Medical College
AYERST, MCKENNA & HARRISON FELLOWSHIP: *see* Endocrine Society, awards
AZOOSPERMIA: *see* Testis, spermatozoa

BASAL METABOLISM
—— effect of:—Arctic cold on, in soldiers, 235*
— antithyroid drugs on: *see* Mercaptoimidazole; Thiouracil
— iodine preparations on: *see* Iodine; and Thyroid disorders
— thyroid substance on: *see* Thyroid preparations
—— hypermetabolism, extrathyroidal; laboratory diagnosis of, 1373*
—— in assay of thyroxine analogues, 1306*
—— in euthyroid adult males receiving 6 gr. des. thyroid daily, 1572*
—— in thyroid disorders: *see* Thyroid disorders
—— relation to I^{131} uptake & serum cholesterol, in euthyroidism, 407*
—— somnolent metabolic rate, 1373*
BEHAVIOR: *see* Brain; Mental; Nervous system
BILE: *see* Cholesterol; Liver
BLOOD: *see also* under constituent or under endocrine disorder involved
—— ACTH of: *see also* Pituitary preparations, ACTH
—in congen. adrenal hyperplasia, 1140*
— in rat & man, 920†
—— calcium: *see* Calcium; Electrolytes
—— chloride: *see* Chloride; Electrolytes; Sodium
—— cholesterol: *see* Cholesterol; Lipids
—— electrolytes: *see* Electrolytes
—— estrogens, exogenous; clearance from blood in pregnancy, 946†
—— estrogens of, in peripheral artery *vs.* hepatic vein, 495*
(*see also* Estrogens)
—— glucose: *see* Carbohydrate metabolism; Diabetes; Insulin
—— gonadotropin, chorionic: *see* Pregnancy, diagnosis; Gonadotropins
—— hexosamine: *see* Hexosamine
—— 17-hydroxycorticosteroids in peripheral circulation, 519*
—— 17-hydroxycorticosteroids of, following whole-body irradiation of dog, 921†
(*see also* Adrenals, Preps. & Compounds)
—— iodine: *see* Iodine
—— lipids: *see* Lipids

BLOOD (*cont.*)
—— mammalian; inactivation of ACTH in, 920†
—— method for study of GAS in, 1031*
—— of spermatic vein; isolation of androgens from, 915*
—— phosphorus: *see* Phosphorus
—— potassium: *see* Potassium; Electrolytes
—— pressure: *see* Vascular system
—— protein: *see* Nitrogen; Protein
—— sugar: *see* Carbohydrate metabolism; Diabetes; Insulin
—— TSH of serum in various thyroid states, 940†
—— TSH in: *see also* Pituitary, preparations, TSH
—— vessels: *see* Vascular system
CELLS
—— in reaction to Methimazole, 841*
—— leukopenia following large dose of I^{131}, 1197*
—— white; effect of I^{131} radiation on, 1480*
Eosinophils
—— ACTH and cortisone *vs.* salicylate, in effect on, 454*
—— ACTH test in normal & psychoneurotic subjects; male *vs.* females, 178*
—— and lymphocytes; effect of Lipoadrenal Extract on, 642*
—— and other white cells; effect of acute stress on, in young men, 393*
—— before and after surgery for interstitial-cell tumor of testis, 725*
—— changes in, due to thiouracil, 977†
—— distribution and fate; hormonal influences on, 922†
—— effect of:—ACTH on, in hyperadrenocorticism, 1121*
— glucose on, 1095*
— graded doses of cortisone on, in mice, 932†
— i.v. ACTH on, 763*
—— in assay of ACTH activity in mice, 933†
—— in bioassay of adrenal steroids (mice), 933†
—— in congen. adrenal hyperplasia; ACTH & epinephrine tests, 1140*
—— in gout; effect of therapy, 506*
—— in pheochromocytoma + adrenal cortical tumor, 875*
—— in secondary amenorrhea treated by ACTH, 697*
—— in study of blocking effects of dibenamine congeners, 959†
— of hourly 17-KS excretion in normal subjects, 647*
— of modification of response to prolonged ACTH, 1040*
—— measuring effect of nasal administration of ACTH, 958†
—— relation to adrenals, pituitary & salicylates, 1246*

BLOOD (*cont.*)
CELLS (*cont.*)
Eosinophils (cont.)
—— relation to blood 17-hydroxycorticosteroids following i.v. epinephrine, 936†
—— response of, to ACTH in adrenal tumor, 1409*
—, to epinephrine in mongolism & cretinism, 480*
—, to stress, in patients with hypothalamic lesions, 36*
—— rhythm of; clinical studies, 922†
BODY
—— fluids: *see* Blood; Saliva; Sweat; Urine
—— growth and weight: *see* Children; Dwarfism; Infants; Nutrition; Pituitary preparations, growth hormone
—— temperature: *see* Temperature
—— tissues: *see* Tissues; and under organ involved
BONE: *see also* Calcium; Phosphorus; Parathyroids
—— bony demineralization in pseudohypoparathyroidism, 560*
—— disease; mechanism of, in Detoni-Fanconi syndrome, 927†
—— effect of cortisone on in congen. adrenal hyperplasia, 277*
—— osteogenesis imperfecta; hereditary form of, 964†
—— osteolytic tumors; calcium metabolism in, 926†
—— osteoporosis; relation of calcium loss to, in pheochromocytoma, 928†
—— remineralization of; strontium as adjuvant to calcium in, 928†
—— tibia test for interaction of growth & other hormones, 937†
BOOKS RECEIVED, 254, 609, 1116
BRAIN: *see also* Mental; Nervous system
—— electroshock therapy: *see* Nervous system
—— excitability and hormones, 924†
—— lesions of, with hypernatremia & hyperchloremia, 821*
—— thalamus and hypothalamus: *see* Thalamus
BREAST: *see also* Menstruation; Ovary
—— cancer; ability of liver to reduce biologic action of inj'd. estrogens in, 495*
—— cancer; effect of androgens on urinary steroids in, 1172*
—— effect of estrogen on, in adrenogenital syndrome, 1059*
—— growth of, produced by mammotropin, estrin and progestin; effect of somatotropin on, 937†
—— gynecomastia:—and hypogonadism in a male, from estrogen-secreting adrenal tumor, 915†
— during topical estrogen therapy, 751*
— in adult men, after CG therapy, 985*
BRUCELLOSIS: *see* Infections

C^{14}-Acetate, in synthesis of cholesterol & steroid hormones in the human, 934†
Calcium: *see also* Bone; Electrolytes; Parathyroids
—— and phosphorus of blood, in temporary hypoparathyroidism following I^{131} therapy for thyrotoxicosis, 1220*
—— balance, during estrogen therapy of adrenogenital syndrome, 1059*
— in hypoparathyroidism refractory to antitetanic therapy, 929†
— in pseudohypoparathyroidism with bony demineralization, 560*
—— i.v., as a measure of parathyroid activity, 927†
—— loss in paralytic poliomyelitis; relation to osteoporosis, 928†
—— metabolism in patients with osteolytic tumors, 926†
Cancer: *see also* Neoplasma; and under organ involved
—— program of U.S. Atomic Energy Commission, for fiscal 1953, 982
Carbohydrate Metabolism: *see also* Diabetes mellitus; Insulin
—— carbohydrate-regulating hormones; defect of, in case of congen. adrenal hyperplasia, 1015*
—— chronic hypoglycemia, convulsions & dwarfism; effect of ACTH & thyroid on, 921†
—— fructose of semen in hypogonadism; effect of 3 testosterone preps. on, 3*
—— glucose; effect of, on eosinophils, 1095*
—— glucose of blood; effect of ACTH & cortisone on, 979,† 1140*
—— glycogen content of lymphoid & other organs; influence of epinephrine on, 956†
—— hyperglycemic-glycogenolytic factor produced by the pancreas, 245*
—— in chromophobe tumor of pituitary, 611*
—— mucopolysaccharides of connective tissue; relation to tissue electrolytes, 965†
—— polysaccharides, in relation to some degenerative changes, in diabetes, 458*
Carbon: *see* C^{14}
Carcinoma: *see* Neoplasms; and under organ involved
Change of Name
—— Association for the Study of Internal Secretions, to Endocrine Society, 1
—— Journal of Clinical Endocrinology, to Journal of Clinical Endocrinology & Metabolism, 2
Children: *see also* Growth; Infants; Puberty; and under various endocrine disorders
—— congenital adrenal hyperplasia: *see* Adrenal disorders
—— congenital testicular deficiency: *see* Testis
—— juvenile hyperthyroidism; therapeutic effects from repeated diagnostic doses of I^{131} in, 1349*
Chloride: *see also* Addison's disease; Electrolytes; Sodium
—— effect of saline & DCA in bilat'y adren'd monkey, 925†
—— hyperchloremia, neurogenic, 821*
—— large saline loads; renal adjustment to in diabetes insipidus, 955†
—— salt, iodized, in prevention of goiter; 30-yr. study, 1380*
Cholesterol: *see also* Lipids
—— and steroid hormone synthesis in human; use of C^{14}-acetate for, 934†
—— of rat adrenals; effect of erucic acid factor of rape oil on, 934†
of blood (plasma, serum)
—— and bile, in deranged thyroid states; mechanism responsible for, 1287*
—— effect of acute stress on, in young men, 393*
— of cortisone on, 346*
— of diet on, 909*
— of massive cortisone therapy on, 541*
—— in adult euthyroid males, during ingestion of des, thyroid, 1572*
—— in diagnosis of extrathyroidal hypermetabolism, 1373*
—— in study of alterations in thyroid function by ACTH & cortisone, 554*
—— in thyrotoxicosis treated with I^{131}, 86*
—— rapid procedure for determination of, 966†, 1245*
—— relation to I^{131} uptake & BMR, in euthyroidism, 407*
Chorionepithelioma: *see* Pregnancy
Chorionic Gonadotropin: *see* Gonadotropins; Pregnancy
Chromaffin: *see* Adrenals, disorders, tumors
Chromatography: *see also* Methods
—— chromatographic-colorimetric determination of urinary 17-KS by clinical method, 66*
Chromophobe Adenoma: *see* Pituitary, disorders
Ciba Award: *see* Endocrine Society, awards
Climacteric: *see also* Androgens; Estrogens; Menstruation; Ovary
—— male; 17-KS excretion in, 1551*
—— menopausal index; failure of vitamin E to alter, 948†
——postmenopausal women; effect of monobenzyl ether of stilbestrol in, 169*
—; progesterone in aq. cryst. suspension *vs.* in oil, compared by withdrawal bleeding tests in, 1445*
—; vaginal smears following varying doses of estrogens in, 951†
Colchicine, in gout; effect on pituitary-adrenal system, 506*
Cold: *see* Temperature
Committee, Publications, of the Endocrine Society: *see* Endocrine Society
Compounds B, E and F: *see* Adrenals, preparations

CONGENITAL ANOMALIES: *see also* Familial; Hermaphrodism; and under various endocrine glands
—— congenital adrenal hyperplasia, 257,* 277,* 1015,* 1140*
—— congenital testicular deficiency, 1229*
CONVERSION RATIO: *see* Iodine, blood; Iodine, radioactive
CORPUS LUTEUM: *see also* Ovary; Progesterone
—— function; effect of CG & prolactin on, 321*
CORTICOIDS, CORTICOSTEROIDS: *see* Adrenals, preps. & compounds: Steroids
CORTISONE: *see* Adrenals, preps. & compounds, cortisone
COUNCIL of the Endocrine Society: *see* Endocrine Society
COURSES
—— assembly, postgraduate, in endocrinology: *see* Endocrine Society
—— graduate fortnight (hormones): *see* New York Acad. Medicine
—— graduate instructional: *see* American College of Allergists
—— postgraduate, in pediatric endocrinology & metabolism: *see* Harvard Medical School
—— symposium on potassium: *see* Univ. of Minnesota
CREATININE: *see also* Nitrogen; Protein
—— effect of MAD on, in hypogonadism, 1077*
—— of serum, in adult euthyroid males during ingestion of des. thyroid, 1572*
CRETINISM: *see* Thyroid disorders, hypothyroidism
CRYPTORCHIDISM: *see* Testis, disorders
CUSHING'S SYNDROME: *see also* Adrenals, disorders; Pituitary, disorders
—— ACTH & cortisone *vs.* salicylates in, 454*
—— glucocorticoid excretion in, 296*
—— 17-KS excretion in, 1551*
—— personality changes in, 502*
—— urinary dehydroisoandrosterone in; effect of cortisone on, 1121*
—— urinary estrogens & 17-KS in; influence of cortisone, comps. B & F, & ACTH on, 1513*
CYCLOPENTYLPROPIONATE of testosterone: *see* Androgens
CYTOCHROME oxidase system; effect of thyroxine on, 1300*

DEHYDROISOANDROSTERONE: *see* Adrenals, preps. & compounds
DESOXYCORTICOSTERONE: *see* Adrenals, preps. & compounds
DIABETES INSIPIDUS: *see* Pituitary disorders
DIABETES MELLITUS: *see also* Carbohydrate metabolism; Insulin; Pancreas
—— acceleration of neoglucogenesis from fat, by ACTH & cortisone, 945†
—— alloxan; spontaneous disappearance of, 943†
DIABETES MELLITUS (*cont.*)
—— and Graves' disease; effect of PHP in, 604*
—— associated with other endocrinopathies; effect of GH in, 881*
—— associated with rheum. arthritis & psoriasis; treatment with ACTH, 361*
—— degenerative complications of; relation of polysaccharides to, 458*
—— Diabetes, American Association: *see* American Diabetes Association
—— effect of glucose on eosinophils in, 1095*
—— experimental; relation of adrenal cortex hormones to, 944†
—— glucose or sugar tolerance tests: *see also* Carbohydrate metabolism
—— International Diabetes Federation; Congress, 253, 370
—— steroid diabetes in man, 945†
DIAGNOSTIC errors from single assay of I^{131} i.v. tracer uptake, 135*
DIBENAMINE congeners; blocking effects of, on stress response in rats, 959†
DIET: *see also* Anorexia nervosa; Vitamins
—— and struma cibaria, 1100*
—— effect on blood cholesterol, 1287*
— on mouse uterine size, in FHS test, 244*
— on serum cholesterol & phospholipid, 909*
—— food and the genesis of goiter, 1361*
—— iodide content of, in endemic goiter area of Argentina, 191*
—— low-iodine; effect on thyroid function in rat, studied by I^{131}, 1495*
—— modification of effects of ACTH & cortisone by, 929†
DIETHYLSTILBESTROL: *see* Estrogens
2′6′DIIODOTHYRONINE; metabolic activity of, 976†
DIIODOTYROSINE, in serum and urine after admin. of radiothyroxine, 1461*
DINGEMANSE, ELISABETH: obituary, 981
2:4-DINITROPHENYLHYDRAZINE used in the quant. determination of steroid hormones, 978†
DIURESIS: *see* Kidney; Pituitary disorders, diabetes insipidus; Water
DOBRINER, KONRAD: memorial to, 1255
DWARFISM: *see also* Growth; Syndromes; and under various endocrine disorders
—— and infantilism; effect of 3 testosterone preps. in, 3*
—— associated with pseudohypoparathyroidism and bony demineralization, 560*
—— with chronic hypoglycemia & convulsions; effect of ACTH & thyroid in, 921†

ECLAMPSIA: *see* Pregnancy
EDEMA: *see* Water; Electrolytes
EDITOR, Letters to: *see* Endocrine Society, Letters to the Editor
EDITORIAL BOARD & EDITOR of the Journal: *see* Endocrine Society

ELECTROCARDIOGRAM: *see* Heart
ELECTROLYTES: *see also* under specific chemical element involved; and under various endocrine glands
—— effect of acute stress on, in young men, 393*
—— excretion of, in secondary amenorrhea treated by ACTH, 697*
—— in congen. adrenal hyperplasia; effect of cortisone on, 1140*
——metabolism of, in pituitary insufficiency, 798*
—— of tissue; relation to mucopolysaccharides of connective tissue, 965†
ELECTROSHOCK therapy: *see* Nervous system
ENDOCRINE: *see also* Androgens; Estrogens; Gonadotropins; Hormones; Progesterone; Steroids; and under various glands (preps. and comps.)
—— diseases; serum mucoprotein in, 964†
—— disturbances; 17-KS in, 1551*
—— endocrinopathies, hyperfunctional, treated with toxins, 966†
—— pharmacodynamics of renal tubular concentratability, 959†
—— pluriglandular insufficiency without panhypopituitarism, 974†
—— regulation of serum hexosamine, 965†
—— reviews, 458,* 574*
—— Society: *see* Endocrine Society
—— various endocrines; effect on sperm release of frog, 354*
ENDOCRINE SOCIETY
ABSTRACTS
—— of papers presented at 34th Annual Meeting (1952), Chicago, Ill., 914†
ANNUAL MEETINGS
—— *Thirty-Fourth,* Chicago, Ill., June 1952
— announcements of, 139, 252, 365, 483, 607
— program of (last session, joint, with Am. Diabetes Assoc.) 483
— abstracts of papers on program, 914†
—— *Thirty-Fifth,* New York, N. Y., May, 1953
— announcements of, 1103, 1250, 1406, 1509, 1603
AWARDS AND FELLOWSHIPS: (Ciba award; Squibb award; Ayerst, McKenna & Harrison fellowship; Schering fellowship)
—— *for 1951*
— special announcement concerning Schering fellowship, 251
—— *for 1952*
— announcements of, 140, 249
— recipients of, 1104
—— *for 1953*
— announcements of, 1106, 1251, 1403, 1510, 1602
CHANGES OF NAMES
—— Association for the Study of Internal Secretions, to Endocrine Society, 1
—— Journal of Clinical Endocrinology,
ENDOCRINE SOCIETY (*cont.*)
CHANGES OF NAMES (*cont.*)
to Journal of Clinical Endocrinology and Metabolism, 2
FELLOWSHIPS: *see* Endocrine Society, awards
LETTERS TO THE EDITOR: 135**, 136*, 244*, 245*, 361*, 480*, 604*, 761*, 908*, 909*, 1100*, 1245*, 1246*, 1249*, 1601
OFFICERS; COUNCIL; PUBLICATIONS COMMITTEE; EDITORIAL BOARD MEMBERS & EDITOR
—— *for 1951-52:* *see* general information pages, front ad. section, Jan.-June issues
—— *for 1952-53: see Ibid.,* July-Dec. issues
POSTGRADUATE ASSEMBLY (FIFTH) IN ENDOCRINOLOGY
—— November 1952, Miami, Fla.
— announcements of, 365, 607, 762, 980, 1108, 1253, 1405
— program of, 1108
PRESIDENTIAL ADDRESS: (1952): 1187*
ENDOCRINOLOGY: *see also* Endocrine Society
—— courses in: *see* Courses
—— fellowships and awards in: *see* Endocrine Society; American Goiter Association; Jefferson Medical College
ENDOMETRIUM: *see* Menstruation; Uterus
ENZYMES
—— enzymatic mechanisms of thyroxine, 1300*
—— beta-glucuronidase of serum & urine in prostatic cancer, 917†
—— *l*-glutamic dehydrogenase produced by GH; significance of changes in, 939†
—— phosphatase, acid, of prostatic exprimate during puberty, 338*
EOSINOPHILS: *see* Blood, cells
EPINEPHRINE: *see* Adrenals, preps. & comps., epinephrine
EPIPHYSES: *see* Bone
ERRATA: 143, 257, 1117
ERUCIC acid factor of rape oil; effect on rat adrenal cholesterol, 934†
ESKIMOS, and soldiers in Arctic; PBI & BMR in, 235*
ESSAYS for Van Meter Prize Award: *see* American Goiter Association
ESTRADIOL, ESTRIN, ESTRIOL: *see* Estrogens
ESTROGENS: *see also* Climacteric; Gonadotropins; Hermaphrodism; Hormones; Menstruation; Ovary; Progesterone; Sex; Steroids
—— action on gonadotropin content of monkey pituitary, 310*
—— conversion of androgen to; suppression of gonadotropin by, 914†
—— effect on androgen secretion in adrenogenital syndrome, 948†
—— effect on serum lipids, 963†
—— estradiol, producing adrenogenital syndrome in frog, 922†
—— estrogen conjugation, as reflected in human pregnancy urine, 950†
—— estrogen-secreting adrenal tumor causing male hypogonadism, 915†

ESTROGENS (*cont.*)
—— estrone; metabolism of 2-mg. dose in healthy women, 489*
—— evaluation of, by menopausal & amenorrheal index, 949†
—— exogenous; clearance from blood, in pregnancy, 946†
—— identification of, in human testis, 143*
—— in study of magnitude of endogenous androgen in adrenogenital syndrome, 1059*
—— in treatment of pituitary insufficiency, 574*
—— increased excretion of, in adult men, after CG, 985*
—— injected; ability of liver to reduce biologic activity of in cancer patients, 495*
—— mixtures of; influence on target-organ response, 947†
—— natural *vs.* synthetic, in various media, in treatment of estrogen deficiency, 28*
—— of serum; peripheral artery *vs.* hepatic vein, 495*
—— plus pregnanediol; concomitant estimation of, in human urine, 371*
——resistance to, in psychogenic amenorrhea, 42*
—— stilbestrol; effect on NaPG complex in pregnancy, 151*
—— stilbestrol; monobenzyl ether of, in treatment of anovulation & of functional amenorrhea, 169*, 954†
—— topical; clinical effects & side actions, 751*
—— urinary; effect of androgens on, 1172*
—— urinary (fluorometric and biologic assay) in hyperadrenocorticism; influence of cortisone, comps. B & F, & ACTH, 1513*
—— varying doses of; vaginal smears following, in postmenopausal women, 951†
ESTRONE: *see* Estrogens
EUNUCHISM, EUNUCHOIDISM: *see* Testis, disorders; Androgens; Pituitary
EXERCISE: *see* Stress
EXOPHTHALMIC GOITER: *see* Thyroid disorders, hyperthyroidism
EXOPHTHALMOS: *see* Eyes; and Thyroid disorders
EYES
—— blue sclerae, brittle bones and otosclerosis, 964†
—— disorders of, in diabetes, 458*
—— exophthalmos, experimental; effect of ACTH & cortisone on development of, 930†
—— hyperophthalmopathic Graves' disease and diabetes; effect of PHP in, 604*

FAMILIAL
—— congenital adrenal hyperplasia in 2 siblings, 1140*
—— hereditary form of osteogenesis imperfecta, 964†
FAMILIAL (*cont.*)
—— hereditary occurrence of testes but no sexual hair, in amenorrheic women, 423*
FAT: *see* Cholesterol; Diet; Lipids
FELLOWSHIPS: *see* Awards
FERTILITY: *see* Sterility; Ovary; Pregnancy; Testis
FLUORESCENCE of steroids, 954†
FOLIC ACID ANTAGONISTS
—— effect on pituitary gonadotropins, 310*
—— influence on accessory sex tissues of male rats, 946†
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadotropins; Pituitary preparations
FOOD: *see* Diet
FROG
—— experimental adrenogenital syndrome in, 922†
—— male (*Rana pipiens*)
— in quant. assay of serum CG, 385*
— mechanism of spermatic release in, 354*
— role of pituitary, adrenals & testes in spermatic release, 744*
FROEHLICH'S SYNDROME: *see* associated with Ovarian, Pituitary and Testicular disorders
FRUCTOSE: *see* Carbohydrate metabolism
FSH: *see* Gonadotropins; Pituitary preparations

GAMMAGRAPH; observations on nodular thyroid gland with, 1356*
GENERAL ADAPTATION SYNDROME (GAS)
—— clinical laboratory procedure for study of, 1031*
—— comments on, 666*
GERIATRICS, American Society: *see* American Geriatrics Society
GLUCOSE: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
GLUCURONIDASE: *see* Enzymes
GLYCOGEN: *see* Carbohydrate metabolism; Diabetes mellitus; Liver
l-GLUTAMIC DEHYDROGENASE: *see* Enzymes
GLYCOSURIA: *see* Carbohydrate metabolism; Diabetes mellitus
GOITER: *see also* Thyroid disorders
—— American Association: *see* American Goiter Association
GOITROGENS: *see also* Antithyroid drugs
—— and struma cibaria, 1100*
GONADOTROPINS: *see also* Pituitary; Pregnancy
—— Chorionic
— and pituitary; mechanism of response of male frog to, 354*
— and prolactin; effect on corpus luteum function, 321*
— and testosterone, in treatment of chromophobe adenoma of pituitary, 631*
— effect of, in male "eunuchoidism with low FSH"; aq. sol. *vs.* oil and beeswax susp., 1532*
— effects of, in adult men, 985*

GONADOTROPINS (*cont.*)
CHORIONIC (*cont.*)
— gravidic hormones; masculinization of female rats with, 955†
— in pregnancy: *see* Pregnancy
— in serum; quant. assay, by modified male frog technique, 385*
— rapid assay of, for clinical purposes, 951†
—— FSH
— factor in anovulatory cycles, 136*
— normal excretion of, with spermatogenesis, in syndrome of eunuchoidism, 947†
— test for; effect of diet on mouse uterine size, 244*
— urinary, in familial male pseudohermaphrodism, 423*
—— germinal cell arrest & hyperactivity in relation to utilization of, 952†
—— gonadotropin content of monkey pituitary; action of estrogen & progesterone on, 310*
—— inhibition of, by ACTH, 939†
—— suppression of, by conversion of androgen to estrogen, 914†
—— urinary
— effect of ACTH, cortisone & surgical stress on, 960†
— effect of surgical procedures on, 1053*
— in congenital testicular deficiency, 1229*
— in hormone-resistant psychogenic amenorrhea, 42*
— in Klinefelter's syndrome, 1426*
GONADS: *see also* Androgens; Estrogens; Gonadotropins; Ovary; Sex; Testis
—— concentration of radioactivity in, after admin. of labeled TSH preps. to male chick, 1269*
GOUT
—— alteration of thyroid function in, by ACTH & cortisone, 554*
—— measuring cortisone & comp. F excretion in, 1163*
—— metabolic studies in; response to colchicine, ACTH & testosterone, 506*
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROWTH: *see also* Children; Dwarfism; and under various endocrine glands
—— curves, in congenital adrenal hyperplasia, 1140*
—— effect of cortisone on, in congen. adrenal hyperplasia, 277*
—— hormone: *see* Pituitary, preparations
—— macrogenitosomia precox: *see* Adrenal disorders, congenital hyperplasia
GYNECOMASTIA: *see* Breast

HAIR: *see also* associated with Adrenal disorders; Cushing's syndrome; Hermaphrodism; Virilism
—— hirsutism of congenital adrenal hyperplasia; effect of cortisone on, 257,* 277*
—— hirsutism, with no other virilism, caused by adrenal cortical tumor, 50*
HARVARD MEDICAL SCHOOL, postgraduate course in pediatric endocrinology and metabolism, 984
HEART: *see also* Vascular system
—— DCA-induced pathologic changes in, inhibited by ACTH & cortisone, 666*
—— disease, intractable, treated with I^{131}; pathologic effects of, on thyroid gland, 1315*
—— ECG & serum P in periodic paralysis associated with thyrotoxicosis, 1223*
HEREDITARY: *see* Familial
HERMAPHRODISM: *see also* Adrenal disorders; Ovary; Testis; Virilism
PSEUDOHERMAPHRODISM
—— female; effect of cortisone & comps. F & B on 17-KS in, 257*, 277*
—— female; metabolic studies in; effect of cortisone, 1015*, 1140*
—— female; urinary estrogens & 17-KS in; influence of cortisone, comps. B & F, & ACTH in, 1513*
—— male; hereditary occurrence of testes but no sexual hair, in amenorrheic women (17-KS & FSH), 423*
HEXOSAMINE of serum; endocrine regulation of, 965†
HIRSUTISM: *see* Hair
HORMONES
—— and brain excitability, 824†
—— and cholesterol synthesis in human, using C^{14}-acetate, 934†
—— conference on: *see* Laurentian Hormone Conference
—— course in: *see* New York Acad. of Medicine
—— hormone-resistant psychogenic amenorrhea, 42*
—— regulation of granulation tissue by, 930†
—— some basic hormone problems, 1187*
17-HYDROXYCORTICOSTERONE: *see* Adrenals, preps. & compounds
p-HYDROXYPROPIOPHENONE: *see* Parahydroxypropiophenone
HYPERGLYCEMIA: *See* Carbohydrate metabolism; Diabetes mellitus
HYPERMETABOLISM: *see* Basal metabolism
HYPERTENSION: *see* Vascular system
HYPERTHYROIDISM: *see* Thyroid disorders
HYPERTRICHOSIS: *see* Hair
HYPOGENITALISM: *see* Hermaphrodism; Menstruation; Ovary; Pituitary; Sterility; Testis
HYPOGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
HYPOGONADISM: *see* Hermaphrodism; Menstruation; Ovary; Pituitary; Sterility; Testis
HYPOPITUITARISM: *see* Pituitary disorders
HYPOTHALAMUS: *see* Thalamus
HYPOTHYROIDISM: *see* Thyroid disorders

IMPOTENCE: *see* Androgens; Sterility; Testis
INDEX TO VOLUME 12 (1952)
—— author, 1606

INDEX TO VOLUME 12 (*cont.*)
—— subject, 1620
INFANTILISM: *see* Growth; Pituitary
INFANTS: *see also* Congenital abnormalities; Children; Pregnancy
—— with congenital adrenal hyperplasia; effect of cortisone & comp. B in, 257*, 277*
INFECTIONS: *see also* Toxins
—— brucellosis, human; orchiepididymitis from, 918†
—— peritonitis, generalized; treatment with ACTH, cortisone & antibiotics, 184*
—— poliomyelitis: *see* Poliomyelitis
—— rheum. fever: *see* Rheumatic fever
—— tuberculosis: *see* Tuberculosis
INFERTILITY: *see* Sterility
INSULIN: *see also* Carbohydrate metabolism; Diabetes mellitus; Pancreas
—— Banting Memorial Lecture on (title only), 945†
—— eosinophil response to, in thalamic lesions, 36*
—— hypoglycemia; effect of ACTH on, 979†
—— hypoglycemia test; effect of cortisone on, in congen. adrenal hyperplasia, 1015*
—— requirement of dogs, before & after duct ligation & pancreatectomy, 245*
INTERNATIONAL DIABETES FEDERATION CONGRESS, 253, 370
IODINE: *see also* Thiouracil; Thyroid
—— in treatment of recurrent hyperthyroidism, 1389*
—— in treatment of thyroid disease: *see also* Thyroid disorders
—— iodized salt in the prevention of goiter; 30-yr. study, 1380*
—— low-iodine diet; effect of thyroidal I^{131} uptake & serum PBI in the rat, 1495*
—— the iodine-deficient thyroid, studied by I^{131} in Argentina, 191*
—— therapy, plus antithyroid drug; measurement of thyroid epithelium after, 228*
IN BLOOD (SERUM, PLASMA)
—— low-iodine diet; effect or thyroidal I^{131} 856*
—— PBI; calculation of, from kinetic data, 1215*
— during thyroid therapy, in euthyroid adult males, 1572
—; effect of massive cortisone therapy on, 541*
—; effect of methylthiouracil on, in hyperthyroidism, 719*
—; effect of some thyroxine analogues on, in Graves' disease, 1306*
— in diagnosis of extrathyroidal hypermetabolism, 1373*
— in euthyroid patients given Tapazole, 761*
— in study of effect of PHP on rat thyroid, adrenal & pituitary, 1454*
IODINE (*cont.*)
IN BLOOD (*cont.*)
PBI (*cont.*)
— in study of metabolism of radiothyroxine in exophthalmic goiter, 1461*
— in study of metabolic fate of large doses of I^{131} in thyroid cancer, 1480*
— in study of stress & thyroid function, 941†
— in thyrotoxicosis treated with I^{131}, 86*
—; influence of TSH & thyroxine on, studied by I^{131}, 208*
— of soldiers & Eskimos in the Arctic, 235*
—— plasma conversion ratio (PCR): *see* Iodine, radioactive
—— SPI following repeated tracer doses of I^{131} in hyperthyroidism, 1349*
— in Graves' disease treated with I^{131} & TSH, 1561*
— in I^{131} study of effects of antithyroid drugs in hyperthyroidism, 1083*
RADIOACTIVE
—— blood I^{131} conc. & dosage in metastatic thyroid carcinoma, 1197*
—— blood I^{131} in diagnosis of extrathyroidal hypermetabolism, 1373*
—— effect of temperature & surgery on elimination of, in rat, 942†
—— in delineation of nodules in thyroid, via the gammagraph, 1356*
—— in detection of thyroid/serum iodide ratio in rats with hypothalamic lesions, 1259*
—— in study of alteration in thyroid function by ACTH & cortisone, 554*
— of effect of low-iodine diet on thyroid function in rat, 1495*
— of effect of massive cortisone therapy on thyroid function, 541*
— of effect of NaI, propylthiouracil & mercaptoimidazole in hyperthyroidism, 1083*
— of effect of TSH & thyroxine on uptake, PBI & BMR, 208*
— of goiter in Argentina, 191*
— of metabolism of radiothyroxine in exophthalmic goiter, 1461*
—of struma cibaria, 1100*
—— in testing whether Graves' disease is hyperthyroidism or hyperpituitarism, 1561*
—— in treatment of toxic goiter, 130*
—— i. v. tracer; diagnostic errors from single assay, 135*
—— large doses; nature of serum I after, 856*
—— metabolic fate of, after large doses in metastatic thyroid cancer, 1480*
—— oral; 1-hr. uptake of, in diagnosis of hyperthyroidism, 977†
—— pathologic effects of, on normal thyroid gland of man, 1315*
—— preparations of, compared with ra-

IODINE (*cont.*)
RADIOACTIVE (*cont.*)
dioactive GH preparations, 938†
—— quant. therapy with, in thyrotoxicosis; critical analysis, 86*
—— repeated diagnostic doses of; therapeutic effects from, in hyperthyroidism, 1349*
—— therapy of thyrotoxicosis, followed by temporary hypoparathyroidism, 1220*
—— thyroidal uptake of
— and PCR, in hyperthyroidism; effect of propylthiouracil on, 1205*
— and renal-plasma clearance, in euthyroidism; effect of cortisone on, 407*
— by thyroid; effect of Tapazole on, 761*
— in rats; effect of goitrogen withdrawal on, 976†
— in rats; reciprocal effects of TSH & thyroxine on, 975†
IODOTHIOURACIL: *see* Thiouracil
IRRADIATION: *see* Radioactive; and Roentgen rays

JEFFERSON Medical College & Hospital Fellowship in Obstetric and Gynecologic Endocrinology, 253
JOURNAL of Clinical Endocrinology; change of name: *see* Endocrine Society

KETOSTEROIDS & 17-KETOSTEROIDS: *see* Steroids
KIDNEY: *see also* Urine
—— DCA-induced pathologic changes in, inhibited by ACTH & cortisone, 666*
—— diuresis: *see also* Water
—— nephropathy in diabetes, 458*
—— nephrotic syndrome *vs.* pituitary insufficiency; diff. diagnosis, 574*
—— renal adjustments to large saline loads in diabetes insipidus, 955†
—— renal plasma I^{131} clearance in euthyroidism; effect of cortisone on, 407*
—— renal tubular concentratability; endocrine pharmacodynamics of, 959†
KINETIC data; calculation of PBI from, 1215*
KLINEFELTER'S SYNDROME: *see* Syndrome

LAURENTIAN HORMONE CONFERENCE for 1952; program, 368
LETTERS TO THE EDITOR: *see* Endocrine Society
LIGHTING rhythm; effect on ovulation in the rat, 923†
LIPIDS: *see also* Cholesterol; Phosphorus, phospholipids
—— and B-lipoproteins of serum; effect of androgens & estrogens on, 963†
—— of blood; role of thyroid in changes following cortisone, 963†
LIVER
—— ability to reduce biologic activity of injected estrogens, in cancer patients, 495*
LIVER (*cont.*)
—— cirrhosis; 17-KS excretion in, 1551*
—— concentration of radioactivity in, after admin. of labeled TSH preps. to male chick, 1269*
—— effect of hypophysectomy on metastases to, from malignant melanoma, 439*
—— enterohepatic circulation of radiothyroxine, 942†
—— isolated perfused, of rat; corticosteroid metabolism in, 935†
—— rate of hepatic synthesis of cholesterol in deranged thyroid states, 1287*
—— reducing substances, in adren'd animals, used in assay of 11-oxycorticosteroids, 934†
LUTEINIZING HORMONE: *see* Gonadotropins; and Pituitary preparations
LYMPHOID TISSUE
—— influence of epinephrine on glycogen content & respiration of, 956†
—— struma lymphomatosa: *see* Thyroid disorders, thyroiditis

MACROGENITOSOMIA PRECOX: *see also* Adrenal disorders, hyperadrenocorticism
—— effect of cortisone on 17-KS in, 257*, 277*
MALNUTRITION: *see* Anorexia nervosa; Diet; Vitamins
MEETINGS: *see* Announcements
MELANOMA, malignant: *see* Neoplasms
MEMORIAL: *see* Obituaries
MENOPAUSE: *see* Climacteric
MENSTRUATION: *see also* Climacteric; Estrogens; Pregnancy; Progesterone; Ovary; Uterus
—— anovulatory cycles; theory to explain, 136*
—— menopause: *see* Climacteric
—— menstrual pattern in thyroid disease, 846*
—— normal & disturbed; effect of CG & prolactin on corpus luteum function in, 321*
—— ovulation: *see also* Ovary; Progesterone; Sterility
—— premenstrual tension, 954†
—— pre- & postovulatory phases of cycle; metabolism of estrone in, 489*
—— withdrawal bleeding tests (with biopsy) of progesterone in various forms, in postmenopausal women, 1445*
AMENORRHEA
—— and anovulation; treatment with monobenzyl ether of stilbestrol, 954†
—— and menopausal indexes; evaluation of estrogens by, 949†
—— as presenting symptom of chromophobe pituitary tumor, 611*
—— functional; treatment with monobenzyl ether of stilbestrol, 169*
—— in women with testes but no sexual hair (17-KS & FSH data), 423*

MENSTRUATION (*cont.*)
AMENORRHEA (*cont.*)
—— psychogenic, hormone-resistant, 42*
—— secondary, and other endocrinopathies; effect of GH in, 881*
—, effect of ACTH in, 697*
—, with estrogen deficiency; comparison of natural & synthetic estrogens in, 28*
MENTAL: *see also* Brain; Nervous system
—— mongolism; eosinophil response to epinephrine in, 480*
—— personality changes in Cushing's syndrome, 502*
—— psychogenic, hormone-resistant amenorrhea, 42*
—— psychoneurosis; ACTH test in, 178*
—— retardation, associated with pseudohypoparathyroidism, 560*
—— schizophrenia; dose response to Lipoadrenal Extract in, 642*
—— schizophrenia with thalamic lesions; eosinophil response to stress in, 36*
—— schizophrenic men; neutral steroid excretion by, 831*
MERCAPTOIMIDAZOLE
—— methimazole in hyperthyroidism, 841*
—— 1-methyl-2-mercaptoimidazole; effect of, during I^{131} therapy of hyperthyroidism, 1083*
—— Tapazole used to increase thyroidal I^{131} uptake, in euthyroidism, 761*
METHIMAZOLE: *see* Mercaptoimidazole
METHODS: *see also* Pregnancy; Tests
—— chromatographic, for 17-KS pattern, 647*
—— clinical, for chromatographic-colorimetric determination of 17-KS, 66*
—— clinical laboratory procedure for study of GAS, 1031*
—— fluorometric *vs.* biologic, in assay of urinary estrogens, 1513*
—— for calculation of PBI from kinetic data, 1215*
—— for concomitant photometric estimation of pregnanediol & estrogens in human urine, 371*
—— for conjugated corticosteroids in urine, 972†
—— for 17-hydroxycorticosteroids in blood, 519*
—— for pregnanediol & pregnanolone, 151*
—— for steroids in human testis, 143*
—— modified, for acid phosphatase in prostatic exprimate, 338*
—— modified, for extraction, in determination of ur. dehydroisoandrosterone, 527*
—— new & simplified, for determination of free pregnanediol in urine, 735*
—— Porter-Silber, for measuring excretion of cortisone & comp. F, 1163*
—— rapid, for assay of CG, 951†
—— rapid, for serum cholesterol, 966†, 1245*
—— simplified, using pigment-free extracts, for 17-KS, 55*
METHYLANDROSTENEDIOL (MAD): *see* Androgens
METHYLMERCAPTOIMIDAZOLE: *see* Mercaptoimidazole
METHYLTESTOSTERONE: *see* Androgens
METHYLTHIOURACIL: *see* Thiouracil
MINNESOTA: *see* University of
MONGOLISM; eosinophil response to epinephrine in, 480*
MONOBENZYL ETHER of stilbestrol: *see* Estrogens
MULTIPLE endocrine adenomas, 944†
MUSCLE: *see also* Creatinine; Protein
—— electrolyte content of, in pituitary insufficiency, 798*
—— myasthenia gravis, with thymic masses; effect of ACTH on, 690*
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NEOPLASMS: *see also* under specific organ involved
—— incidence of, in inflammatory compared with non-inflammatory lesions of the thyroid, 1578*
—— incidence of, in nodular goiter, 112*
—— malignant melanoma associated with ovarian agenesis; prolonged survival, 901*
—— malignant melanoma in male; effect of hypophysectomy on; biochemical & autopsy findings, 439*
—— malignant thymoma; effect of ACTH on, 690*
—— transition from benign to malignant, studied in growth patterns of thyroid tumors, 1474*
NEPHROTIC SYNDROME: *see* Kidney
NERVOUS SYSTEM: *see also* Brain; Mental
—— electroshock threshold; effect of comps. B & F on, 961†
—— hypothalamus: *see* Thalamus
—— neurogenic hypernatremia & hyperchloremia, 821*
—— neuropathies in diabetes, 458*
—— periodic paralysis associated with thyrotoxicosis, 1223*
—— recurrent laryngeal nerve; physiology of, 1398*
—— relationship to endocrine system, 1187*
—— thalamus: *see* Thalamus
NEW YORK ACADEMY OF MEDICINE; 25th Graduate Fortnight (Hormones), 1115
NITROGEN: *see also* Creatinine; Protein
—— balance, during estrogen therapy of adrenogenital syndrome, 1059*
—— effect of MAD on, in hypogonadism, 1077*
NOTICES: *see* Announcements
NUCLEIC ACID of tissues; effect of cortisone on, in KL-inoculated guinea pigs, 932†
NUTRITION: *see* Anorexia nervosa; Diet; Growth; Vitamins

OBESITY: *see* in association with various endocrine disorders
OBITUARIES
—— Dingemanse, Elisabeth, 981
—— Dobriner, Konrad, 1255

OBITUARIES (*cont.*)
—— Salter, William T., 1506
OBSTETRIC & GYNECOLOGIC endocrinology; Fellowship in: *see* Jefferson Medical College
OFFICERS of the Endocrine Society: *see* Endocrine Society
OLIGOSPERMIA: *see* Testis, disorders
OSTEOGENESIS IMPERFECTA: *see* Bone
OSTEOPOROSIS: *see* Bone
OVARY: *see also* Breast; Climacteric; Estrogens; Gonadotropins; Gonads; Hermaphrodism; Menstruation; Pregnancy; Progesterone; Puberty; Sex; Sterility; Uterus; Virilism
—— amenorrhea: *see also* Menstruation; Pregnancy
—— amenorrheic women with testes but no sexual hair (hereditary); ur. 17-KS & FSH in, 423*
—— anovarism, with Turner's syndrome, 947†
—— anovulatory cycles; theory to explain, 136*
—— arrhenoblastoma; 17-KS excretion in, 1551*
—— castrated monkeys; effect of sex steroids on gonadotropin content of pituitary in, 310*
—— climacteric: *see* Climacteric
—— disorders of; pneumoperitoneum as diagnostic aid in, 919†
—— feminization, as induced by cortisone, 257*, 277*
—— hypo-ovarian states; effect of ACTH in, 697*
—— menopause: *see* Climacteric
—— menstrual disorders: *see* Menstruation
—— ovarian agenesis plus malignant melanoma; prolonged survival, 901*
—— ovarian deficiency & agenesis; comparison of natural & synthetic estrogens in, 28*
—— ovarian deficiency & agenesis; effect of monobenzyl ether of stilbestrol in, 169*
—— ovulation: *see also* Menstruation
—— ovulation in rats; factors affecting pharmacologic blockade of, 923†
—— ovulatory failure in thyroid disease, 846*
—— polycystic; in masculinizing syndrome with high pregnanediol excretion, 890*
—— precocious puberty: *see* Puberty, precocious
—— pre- & postovulation metabolism of estrone in healthy women, 489*
—— preparations and compounds: *see* Estrogens; Progesterone; Steroids
—— pseudohermaphrodism: *see* Hermaphrodism
—— therapy of ovarian disorders: *see* Estrogens; Gonadotropins; Progesterone
—— transvaginal peritoneoscopy as diagnostic aid in, 919†
OVULATION: *see* Menstruation; Pregnancy; Ovary

PANCREAS: *see also* Carbohydrate metabolism; Diabetes mellitus; Insulin
—— DCA-induced pathologic changes in, inhibited by ACTH & cortisone, 666*
—— hyperglycemic-glycogenolytic factor produced by, 245*
—— multiple endocrine adenomas, 944†
PANHYPOPITUITARISM: *see* Pituitary disorders
PARAHYDROXYPROPIOPHENONE (PHP): *see also* Paraoxipropiophenone
—— effect on rat thyroid, adrenal & pituitary; comparison with propylthiouracil, 1454*
—— lack of effect in Graves' disease & diabetes, 604*
PARAOXIPROPIOPHENONE in treatment of hyperthyroidism, 978†
PARALYSIS: *see* Nervous system
PARATHYROIDS: *see also* Calcium; Thyroid
—— hypoparathyroidism; refractoriness to antitetanic therapy in, 929†
—— hypoparathyroidism, temporary, following I^{131} therapy for thyrotoxicosis, 1220*
—— multiple endocrine adenomas, 944†
—— parathyroid activity; use of i. v. calcium as a measure of, 927†
—— pathologic picture of, in patients rendered euthyroid by I^{131}, 1315*
—— pseudohypoparathyroidism with bony demineralization; effect of parathyroid extract, 560*
PEDIATRIC endocrinology; postgraduate course in: *see* Harvard Medical School
PEMPHIGUS: *see* Skin
PENIS: *see* in association with Androgens; and Gonadotropins (effects); and Hermaphrodism; Puberty; Prostate; Testis
PERCHLORATE; effect on human thyroid 973†
PERITONEOSCOPY, transvaginal, as aid in evaluation of ovarian function, 919†
PERITONITIS: *see* Infections
PERSONALITY: *see* Mental
PHEOCHROMOCYTOMA: *see* Adrenal disorders, tumors
PHOSPHATASE: *see* Enzymes
PHOSPHOLIPIDS: *see* Phosphorus
PHOSPHORUS: *see also* Calcium; Parathyroids
—— balance during estrogen therapy of adrenogenital syndrome, 1059*
—— balance study in pseudohypoparathyroidism with bony demineralization, 560*
—— effect of MAD on, in hypogonadism, 1077*
—— phospholipids of serum; effect of diet on, 909*
—— radioactive; testicular damage produced by, 953†
PIGMENT: *see also* Addison's disease
—— melanoma, malignant: *see* Neoplasms
—— pigmentation in congen. adrenal hyperplasia; effect of cortisone on, 277*
—— pigment-free extracts, in simplified method for 17-KS, 55*
—— relation to sex steroids, 901*

PITUITARY: *see also* Gonadotropins
DISORDERS
—— acromegaly associated with Albright's syndrome, 975†
— followed by panhypopituitarism; treatment, 943†
— treated with toxins, 966†
—— adenoma, with Cushing's syndrome; personality changes in, 502*
—— chromophobe tumors of; diagnosis & treatment, 611*, 631*
—— Cushing's syndrome: *see also* Cushing's syndrome
—— diabetes insipidus; renal adjustment to large saline loads in, 955†
—— dwarfism & infantilism; hypopituitarism & hypogonadism; effect of 3 testosterone preps. in, 3*
—— Graves' disease; hyperpituitarism or hyperthyroidism? 940†, 1561*
—— hypopituitarism following hypophysectomy for malignant melanoma; biochemical & autopsy findings, 439*
—— insufficiency; electrolyte metabolism in, 798*
—— insufficiency in the adult; diagnosis & treatment, 574*
—— multiple endocrine adenomas, 944†
—— panhypopituitarism; 17-KS excretion in, 1551*
—; modification of response to prolonged ACTH in, 1040*
—, simulated; effect of GH in, 881*
—— pluriglandular insufficiency without panhypopituitarism, 974†
GONADOTROPINS: *see* Gonadotropins
HORMONES: *see* Gonadotropins; and Pituitary preps. & compounds
PHYSIOLOGY AND PATHOLOGY
—— changes in, produced by PHP & propylthiouracil, 1454*
——gonadotropin content of, in monkey; action of estrogen & progesterone on, 310*
—— hypophysectomy, and protection *vs.* effects of corticoid overdosage, 974†
—— hypophysectomy; effect of, in man with malignant melanoma, 439*
—— in relation to spontaneous disappearance of alloxan diabetes, 943†
—— pathologic picture of, in patients rendered euthyroid by I^{131}, 1315*
—— pituitary-adrenal system; relation to effect of glucose on eosinophils, 1095*
—— relation to adrenals & salicylates, 1246*
—— relation to Klinefelter's syndrome, 1426*
—— roentgen-ray treatment of pituitary; effect of, in thyrotoxicosis, 130*
—— role of, in mechanism of sperm release in frog, 744*
—— stimulation of, by monobenzyl ether of stilbestrol, in animals, 169*
PREPARATIONS AND COMPOUNDS
——FSH: *see* Gonadotropins

PITUITARY (*cont.*)
PREPARATIONS AND COMPOUNDS (*cont.*)
——gonadotropic hormone: *see* Gonadotropins
—— ICSH in human urine, 914†
—— posterior pituitary; effect on sperm release of frog, 354*
—— prolactin and CG; effect on corpus luteum function, 321*
—— somatotropin; effect on mammary growth induced by estrin, progestin & mammatropin, 937†
—— STH (somatropin); protection *vs.* experimental TBC by, 973†
Adrenocorticotropic Hormone (ACTH): see also Adrenals, physiology
—— accelerator of neoglucogenesis from fat, 945†
—— alteration of thyroid function by, 554*
—— an *in vitro* effect of, 972†
—— and antibiotics, in treatment of generalized peritonitis, 184*
—— and cortisone; excretion of 17-KS & corticoids following, in adrenal tumor, 1409*
—; two-yr. follow-up, in pemphigus fol., 1239*
— versus salicylates, 454*
—— as inhibitor of TSH, gonadotropin & prolactin, 939†
—— assay of, by eosinopenic response in mice, 933†
—— blood levels of, and eosinophil response to, in congen. adrenal hyperplasia; effect of cortisone, 1140*
—— blood levels of, in rat & man, 920†
—— commercial; an extra-adrenal effect of, on work performance of adren'd-hypop'd rat, 1601*
—— dietary modification of effects of, 929*
—— effect:—in chromophobe adenoma of pituitary, 631*
— in dwarfism with chronic hypoglycemia & convulsions, 921†
— in various hypo-ovarian states, 697*
— on amino-acid metabolism, 929†
— on blood glucose and insulin hypoglycemia, 979†
— on development of experimental exophthalmos, 930†
— on excretion of corticoids & 17-KS, 1163*
— on excretion of dehydroisoandrosterone & 17-KS, 527*
— on excretion of pregnanediol plus estrogen, 371*
— on perfusate of isolated human adrenal, 968†
— on thymic masses, 690*
— on urinary corticosteroids, before & after cortisone, 969†
— on urinary gonadotropins, 960†
—— eosinophil response to, in thalamic lesions, 36*

PITUITARY (*cont.*)
PREPARATIONS AND COMPOUNDS (*cont.*)
ACTH (cont.)
—— in gout; effect on pituitary-adrenal system, 506*
—— in rheumatoid arthritis with psoriasis & diabetes, 361*
—— in study of radiosulphur metabolism, 962†
—— inactivation of, in mammalian blood, 920†
—— -induced Na retention; prevention by K, 926†
—— inducing simult. corticosterone & hydrocortisone secretion from adrenal, 970†
—— influence on Na & K of human mixed saliva, 708*
— on ur. dehydroisoandrosterone in hyperadrenocorticism, 1117*
— on ur. estrogens & 17-KS in hyperadrenocorticism & in normal male, 1513*
—— inhibition of DCA-induced pathologic changes by, 666*
—— intravenous; quant. adrenocortical stimulation with, 763*
—— isolation of urinary adrenal androgen, following administration of ACTH, 967†
—— modified preps. of; metabolic & therapeutic effectiveness, 956†
—— nasal admin. of; effect on eosinophils, 958†
—— pigmentation following admin. of, 923†
—— prolonged; modification of response to, 1040*
—— proposed ascorbic acid depletion assay for, 967†
—— resistance to, 763*
—— statistical analysis of ACTH test in normal & psychoneurotic subjects (males *vs.* females), 178*
—— *vs.* epinephrine, in effect on adrenal cortical activity, 924†
Growth Hormone (GH): *see also* Growth
—— and metabolic factor; relation to hypothalamus, 1259*
—— *l*-glutamic dehydrogenase produced by; significance of changes in, 939†
—— interaction of, with thyroxine & other hormones; tibia test, 937†
—— purified; effect in female with simulated panhypopituitarism, 881*
—— radioactive preps. of, 938†
Thyrotropic Hormone (TSH): see also Thyroid
—— and thyroxine; reciprocal effects of, on I^{131} uptake, 975†
—— effect on amino-acid metabolism, 929†
— on ground substance & connective tissue, 966†
— on thyroid depression following massive cortisone therapy, 541*
PITUITARY (*cont.*)
PREPARATIONS AND COMPOUNDS (*cont.*)
TSH (cont.)
—— in Graves' disease, with and without I^{131}, 1561*
—— influence of, in I^{131} study of iodine-deficient thyroid gland, 191*
—— influence on function of thyroid, studied by I^{131}, 208*
—— of serum, in various thyroid states, 940†
——radioactive preparations of, 1269*
PLACENTA: *see* Pregnancy
—— chorionic gonadotropin: *see* Gonadotropins
PLASMA CONVERSION RATIO (PCR): *see* Iodine, radioactive
PNEUMOPERITONEUM as diagnostic aid in sex endocrine disorders, 919†
POLIOMYELITIS; relation of calcium loss to osteoporosis in, 928†
PORTER-SILBER method: *see* Methods
POSTERIOR PITUITARY: *see* Pituitary, disorders, and preparations
POSTGRADUATE COURSES: *see* Courses
POTASSIUM: *see also* Electrolytes
—— effect of MAD on, in hypogonadism, 1077*
—— in prevention of ACTH-induced Na retention, 926†
—— metabolism; Univ. of Minnesota symposium on, 983
—— of blood, in cerebral lesions, 821*
—— of human mixed saliva; influence of ACTH on, 708*
—— of serum; relation to ECG, in periodic paralysis with thyrotoxicosis, 1223*
—— urinary; effect of Lipo-adrenal Extract on, 642*
PRECOCIOUS PUBERTY: *see* Puberty
PREGNANCY: *see also* Breast; Estrogens; Gonadotropins; Menstruation; Pituitary; Pregnanediol; Progesterone; Sterility
—— chorionepithelioma; quant. assay of serum CG in; effect of testosterone and stilbestrol on, 385*
—— clearance of exogenous estrogen from blood in, 946†
—— diagnosis (tests): *see also* Gonadotropins, chorionic
—— effect of stilbestrol, progesterone, and pre-eclampsia, on NaPG in, 151*
—— hormonal factor in painful telangiectasia, 953†
—— normal & abnormal; quant. assay of serum CG in, by modified male frog technique, 385*
—— placenta; isolation of progesterone from, 916†
——pregnanediol in: *see also* Pregnanediol
—— rapid assay of CG in, for clinical purposes, 951†
—— response to test for, following treatment with CG & prolactin, 321*
—— test, using male N. American frog, 354*
—— urine; nature of estrogen conjugation reflected in, 950†

PREGNANEDIOL: *see also* Estrogens; Progesterone; Pregnancy
—— excretion in masculinizing syndrome, 890*
—— excretion in secondary amenorrhea treated by ACTH, 697*
—— NaPG complex; influence of stilbestrol, progesterone & pre-eclampsia on, 151*
—— plus estrogens; concomitant estimation of, in human urine, 371*
—— pregnanediol-like material in men; effect of surgery & adrenal stim. on, 972†
—— urinary; in study of effect of CG and LH on corpus luteum function, 321*
—— urinary; new procedure for determination of; evaluation, 735*
—— use of spleen glucuronidase in assay of, 916†
PREGNANOLONE, urinary, in pregnancy; effect of stilbestrol, progesterone & pre-eclampsia on, 151*
PREMENSTRUAL TENSION: *see* Menstruation
PROBLEMS, basic, relating to hormones, 1187*
PROGESTERONE: *see also* Estrogens; Menstruation; Pregnancy; Pregnanediol; Steroids
—— abnormal production of, in virilism with polycystic ovaries, 890*
—— action on gonadotropin content of monkey pituitary, 310*
—— aq. cryst. suspension *vs.* in oil; comparison by withdrawal bleeding tests (biopsy) in postmenopausal women, 1445*
—— effect on the NaPG complex in pregnancy, 151*
—— isolation of, from human placenta, 916†
—— lack of response to, in psychogenic amenorrhea, 42*
—— 19-norprogesterone; high progestational activity of, 916†
—— pregnanediol: *see* Pregnanediol
—— pregnanolone: *see* Pregnanolone
—— ways to increase activity of, 917†
PROGRAMS: *see* Endocrine Society; Amer. Goiter Association; Laurentian Hormone Conference
PROLACTIN: *see* Breast; Pituitary preps. & comps.
PROPYLTHIOURACIL: *see* Thiouracil
PROSTATE (AND SEMINAL VESICLES): *see also* Androgens; Gonadotropins; Testis
—— cancer; ability of liver to reduce biologic action of injected estrogens in, 495*
—·—; effect of androgens on urinary steroids in, 1172*
—·—; serum & urinary beta-glucuronidase in, 917†
—— exprimate of; acid phosphatase in, during puberty, 338*
—— influence of folic acid antagonist on, in rats, 946†
—— prostate of castrated rat; effect of testosterone preps. on, 3*, 15*
PROSTATE (AND SEMINAL VESICLES) (*cont.*)
—— semen volume and fructose; effect of 3 testosterone preps. on, 3*
—— semen: *see also* Testis, spermatozoa
PROTEIN: *see also* Creatinine; Nitrogen
—— amino-acid metabolism; effect of ACTH & TSH on, 929†
—— mucoprotein of serum & skin in myxedema, 931†
—— mucoprotein of serum in endocrine diseases, 964†
—— protein-bound iodine of blood: *see* Iodine, blood; and Iodine, radioactive
PSEUDOHERMAPHRODISM: *see* Hermaphrodism
PSEUDOHYPOPARATHYROIDISM: *see* Parathyroids
PSORIASIS: *see* Skin
PSYCHOSES: *see* Brain; Mental; Nervous system
PUBERTY: *see also* Adrenals; Growth; Ovary; Testis
—— acid phosphatase of prostatic exprimate during, 338*
—— precocious; Albright's syndrome & acromegaly, 975†
—·—; macrogenitosomia precox: *see* Adrenal disorders, congen. ad. hyperplasia
—·—; pseudo-, in 5-yr.-old boy with interstitial-cell tumor of testis, 725*
PUBLICATIONS COMMITTEE: *see* Endocrine Society

RADIATION: *see* Radioactive; and Roentgen rays
RADIOACTIVE
—— C^{14}-acetate, for cholesterol and hormone synthesis, 934†
—— growth hormone preparations, 933†
—— iodine: *see* Iodine, radioactive
—— phosphorus; testicular damage induced by, in rats, 953†
—— S^{35}-labeled diazobenzene sulfonic acid, in study of TSH, 1269*
—— sodium acetate in study of *in vitro* effect of ACTH, 972†
—— sulphur metabolism; studies in, 962†
—— thyroxine; enterohepatic circulation of, 942†
—— thyroxine; metabolism of, in exophthalmic goiter, 1461*
—— tritium, in study of mechanism of changes in blood cholesterol, 1287*
—— TSH preparations, 1269*
RADIOIODINE: *see* Iodine, radioactive
RECIPIENTS of Awards and Fellowships: *see* Endocrine Society; Amer. Goiter Association
RECURRENT laryngeal nerve; physiology of, 1398*
RENAL: *see* Kidney
REPRODUCTION: *see* Menstruation; Ovary; Pregnancy; Sterility; Testis
REVIEWS, endocrine, 458*, 574*
RHEUMATIC FEVER; cortisone *vs.* salicylate in, 1249*
RHEUMATOID ARTHRITIS: *see* Arthritis

ROENTGEN RAYS
—— acute whole-body irradiation of dog; effect on 17-hydroxycorticosteroids of blood, 921†
—— effect of, on 17-KS, 135*
—— in treatment of recurrent hyperthyroidism, 1389*
—— in treatment of thyrotoxicosis, 130*; *see also* Thyroid disorders
—— roentgenologic data and treatment, in chromophobe tumors of pituitary, 611*, 631*

SALICYLATES
—— relation to pituitary, adrenals & eosinophils, 1246*
—— *vs.* ACTH & cortisone, 454*
—— *vs.* cortisone, 1249*
SALIVA, human, mixed; influence of ACTH on K & Na in, 708*
SALT: *see* Chloride; Sodium; Electrolytes
SALTER, WILLIAM T.; obituary, 1506
SCHERING FELLOWSHIP: *see* Endocrine Society, awards
SCHIZOPHRENIA: *see* Mental
SEMEN: *see* Prostate and Sem. Vesicles; and Testis, spermatozoa
SEMINAL VESICLES: *see* Prostate; Testis
SEX: *see also* Breast; Gonadotropins; Hermaphrodism; Menstruation; Ovary; Pregnancy; Prostate; Puberty; Testis; Uterus
—— male *vs.* females; ACTH test in 178*
SEXUAL PRECOCITY: *see* Adrenal disorders; Puberty, precocious
SKIN
—— acne and other dermatoses; effect of topical estrogens on, 751*
—— ground substance and connective tissue; effect of thyroid hormone & TSH on, 966†
—— pemphigus foliaceous; 2-yr. follow-up of effect of ACTH and cortisone in, 1239*
—— pigmentation: *see* Pigment
—— psoriasis with rheum. arthritis & diabetes; treatment with ACTH, 361*
SMEARS
—— blood: *see* Blood, cells
—— vaginal: *see* Climacteric; Estrogens; Menstruation; Ovary
SODIUM: *see also* Chloride; Electrolytes
—— chloride: *see* Chloride
—— effect of MAD on, in hypogonadism, 1077*
—— hypernatremia, neurogenic, 821*
—— loss, marked, in infant with congen. adrenal hyperplasia; effect of cortisone & comp. B on 17-KS in, 257*
—— of human mixed saliva; influence of ACTH on, 708*
—— retention induced by ACTH; prevention by K, 926†
—— urinary; effect of Lipo-adrenal Extract on, 642*
SOLDIERS and Eskimos in the Arctic; BMR & PBI in, 235*
SOMNOLENT metabolic rate (SMR): *see* Basal metabolism
SPERMATOZOA: *see* Testis, spermatozoa; Sterility; Prostate and Sem. Vesicles
SPLEEN
—— effect of hypophysectomy on metastases to, from malignant melanoma, 439*
—— glucuronidase, used in assay of pregnanediol, 916†
SQUIBB AWARD: *see* Endocrine Society, awards
STERILITY: *see also* Menstruation; Pregnancy; Ovary; Testis
—— fertility following APL & testosterone therapy in "eunuchoidism with low FSH," 1532*
—— Klinefelter's syndrome; effect of 3 testosterone preparations in, 3*
STEROIDS
—— androgens: *see also* Androgens
—— causing increase in urinary dehydroepiandrosterone, 970†
—— comparison of several with anabolic activity, 951†
—— corticoids, corticosteroids: *see also* Adrenals, preps. & compounds
—— cortisone: *see* Adrenals, preps. & comps., cortisone
—— determination of: *see also* Methods
—— effect of, on response to cortisone, 958†
—— estrogens: *see also* Estrogens
—— excretion of, by normal and schizophrenic men, 831*
—— fluorescence of, 954†
—— in normal, adult human testis, 143*
—— 20-ketosteroid: *see* Pregnanolone
—— ketosteroids and nonketonic alcohols; effect of androgens on, 1172*
—— progesterone: *see also* Progesterone
—— quant. determination of, using 2:4-dinitrophenylhydrazine, 978†
—— resolution & quant. analysis of, in adrenal-vein blood, 968†
—— sex steroids; effect on sperm release of frog, 354*
—— steroid diabetes in man, 945†
—— urinary; in study of endogenous androgen in adrenogenital syndrome, 1059*
17-KETOSTEROIDS (urinary)
—— ACTH and cortisone *vs.* salicylate, in effect on, 454*
—— and androgen excretion, following orchiectomy, 971†
—— and corticoids; effect of cortisone on, in adrenal tumor, 1409*
—— and corticoids, following large doses of ACTH, 1163*
—— and DHIA steroids; effect of cortisone on, in hyperadrenocorticism, 1117*
—— before & after surgery for interstitial cell tumor of testis, 725*
—— effect of ACTH on, 527*
— of acute stress on, in young men, 393*
— of ascorbic acid on, in rats, 908*
— of cortisone and comps. F & B on, in congen. adrenal hyperplasia, 257*, 277*
— of cortisone on, in adrenal tumor, 936†

STEROIDS (*cont.*)
17-KETOSTEROIDS (*cont.*)
EFFECT OF ACTH ON (*cont.*)
— of cortisone on, in congen. adrenal hyperplasia, 1015*, 1140*
— of Lipo-adrenal Extract on, 642*
—of i.v. ACTH on, 763*
— of MAD on, in hypogonadism, 1077*
— of X-radiation on, in dogs, 135*
—— following 3 forms of testosterone, in man, 3*
—— hourly excretion in normal subjects, studied by chromatographic method, 647*
—— in adrenal cortical tumor causing hirsutism, 50*
—— in chromophobe pituitary tumor, 611*
—— in congen. testicular deficiency, 1229*
—— in "eunuchoidism with low FSH"; effect of CG on, 1532*
—— in familial male pseudohermaphrodism, 423*
—— in hormone-resistant psychogenic amenorrhea, 42*
—— in hyperadrenocorticism & in normal male, 1513*
—— in hypertension, 296*
—— in Klinefelter's syndrome, 1426*
—— in normal adults, using clinical method for chromatographic-colorimetric determination, 66*
—— in secondary amenorrhea treated by ACTH, 697*
—— in study of modification of response to ACTH, 1040*
—— increased, after CG, in adult men, 985*
—— in pheochromocytoma with adrenal cortical tumor, 875*
—— in various endocrine disturbances, 1551*
—— total; simplified procedure for, using pigment-free extracts, 55*
STILBESTROL: *see* Estrogens
STRESS
—— acute; measurement of adrenal cortical activity in young men subjected to, 393*
—— and thyroid function, 941†
—— cold: *see* Temperature.
—— effect on qual. excretion pattern of 17-KS, 647*
—— GAS; procedure for study of, 1031*
—— infections: *see* Infections
—— response; blocking effects of diabenamine congeners on, 959†
—— surgical procedures; effect on ur. gonadotropins, 1053*, 960†
—— work performance of adren'd-hypop'd rats; an extra-adrenal effect of ACTH on, 1601*
STRONTIUM, as an adjuvant to calcium, in remineralization of bone, 928†
STRUMA: *see* Thyroid disorders
SUBJECT INDEX to Volume 12, 1620
SUCCINATE; effect of thyroxine on oxidation of, 1300*
SUGAR: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin; Pancreas
SULPHUR: *see also* Mercaptoimidazole; Thiouracil
—— analogue of thyroxine, 1306*
—— metabolism and the adrenal cortex, 931†
—— radioactive; studies in metabolism of, 962†
SUPRARENALS: *see* Adrenals
SURGERY: *see* Stress; and under various endocrine disorders
SWEAT; sodium of, in gout; effect of colchicine on, 506*
SYNDROME
—— adrenogenital: *see* Adrenal disorders
—— Albright's, associated with acromegaly, 975†
—— Cushing's: *see* Cushing's syndrome
—— Detoni-Fanconi; mechanism of bone disease in, 927†
—— Froehlich's; *see* associated with Ovary, Testis and Pituitary disorders
—— general adaptation syndrome (GAS): *see* General adaptation syndrome
—— Klinefelter's; effect of 3 testosterone preps. in, 3*
—— Klinefelter's; five cases: histophysiologic basis for pathogenic interpretation, 1426*
—— menopausal: *see* Climacteric
—— nephrotic: *see* Kidneys
—— of eunuchoidism with spermatogenesis and normal FSH, 947†
—— Turner's, with anovarism, 947†

TAPAZOLE: *see* Mercaptoimidazole
TARGET-ORGAN response: influence on mixtures of estrogens on, 947†
TEMPERATURE
—— basal body; in hormone-resistant psychogenic amenorrhea, 42*
— in secondary amenorrhea treated by ACTH, 697*
— in study of effect of CG & prolactin on corpus luteum function, 321*
— in study of effect of luteotropic doses of CG in menstrual cycle, 936*; *see also* Menstruation; Ovary
—— cold; adrenal cortical response of thiouracil-treated rats to, 941†
—, Arctic; effect on PBI & BMR of soldiers & Eskimos, 235*
—; measurement of adrenal cortical activity, in young men subjected to, 393*
TESTIS: *see also* Androgens; Gonadotropins; Hermaphrodism; Prostate; Steroids
—— damage to, produced by radioactive P, 953†
—— function of; effect of Amphenone "B" on, 943†
—— human; biogenesis of androgens in, 935†
—— interstitial-cell stimulating hormone (ICSH): *see* Pituitary, preps. & compounds

TESTIS (*cont.*)
—— Leydig-cell stimulation & seminiferous tubule damage, after CG, in adult men, 985*
—— males, euthyroid adult; PBI in, during ingestion of des. thyroid, 1572*
—— males, normal adult; estrogen, 17-KS & corticoid excretion in; influence of cortisone on, 1513*
—— normal adult, human; identification of estrogen in, 143*
—— orchiectomy; 17-KS & androgen excretion following, 971†
—— stimulation of, by gonadotropins: *see also* Gonadotropins
DISORDERS
—— castrated, adrenalectomized men; precursors of ur. dehydroepiandrosterone in, 969†
—— congenital testicular deficiency, as cause of eunuchoidism with cryptorchidism, 1229*
—— "eunuchoidism with low FSH"; effect of CG in aq. solution *vs.* oil & beeswax suspension (biopsy), 1532*
—— hereditary occurrence of testes but no sexual hair, in amenorrheic women (17-KS & FSH data), 423*
—— hypogonadism; acid phosphatase of prostatic exprimate as criterion of, 338*
— and gynecomastia, from estrogen-secreting adrenal tumor, 915†
— following acromegaly; treatment, 943†
17-KS excretion in, 1551*
—— interstitial-cell tumor of, in boy with pseudoprecocious puberty, 725*
—— Klinefelter's syndrome; effect of 3 testosterone preps. on, 3*
—— Klinefelter's syndrome; five cases; histophysiolic basis for pathogenic interpretation (biopsy), 1426*
—— macrogenitosomia precox: *see* Adrenal disorders, hyperadrenocorticism
—— male climacteric: *see* Climacteric
—— male gynecomastia: *see also* Breast
—— orchiepididymitis from human brucellosis, 918†
—— precocious puberty: *see* Puberty
—— pseudohermaphrodism: *see* Hermaphrodism
—— secondary to hypopituitarism: *see also* Pituitary disorders
—— syndrome of eunuchoidism with spermatogenesis & normal FSH, 947†
PREPARATIONS AND COMPOUNDS: *see* Androgens; Steroids
SPERMATOZOA
—— counts in "eunuchoidism with low FSH"; effect of CG, 1532*
—— decrease of, following CG therapy in adult men, 985*
—— defective spermatogenesis; theory of utilization of gonadotropins, 952†

TESTIS (*cont.*)
SPERMATOZOA (*cont.*)
—— mechanism of release of, in frog, 354*
—— release of, in frog; role of pituitary, adrenals & testes in, 744*
—— semen: *see also* Prostate & seminal vesicles
—— spermatogonia, Sertoli & Leydig cells; absence of, in syndrome of congen. testicular deficiency, 1229*
—— spermatogenesis & normal FSH in syndrome of eunuchoidism, 947†
—— spermogram in Klinefelter's syndrome, 1426*
TESTS: *see also* Methods
—— for pregnancy: *see* Pregnancy
—— for thyroid function: *see* Thyroid; and Iodine, radioactive
—— insulin tolerance: *see* Insulin
—— sugar tolerance: *see* Carbohydrate metabolism
TESTOSTERONE AND COMPOUNDS: *see* Androgens; Steroids
TETANY: *see* Calcium; Parathyroids
THALAMUS
—— and hypothalamus, lesions of; eosinophil response to stress in, 36*
—— hypothalamus; role of, in control of thyroid function, 1259*
THIOURACIL: *see also* Antithyroid drugs; Iodine; Thyroid
—— and estrogen, in study of role of pituitary in growth changes of cervix, 786†
—— effect on eosinophils in hyperthyroidism, 977†
—— iodothiouracil and other antithyroid therapy; measurement of thyroid epithelium after, 228*
—— methylthiouracil in treatment of hyperthyroidism, 719*
—— propylthiouracil changes in rat thyroid, adrenals & pituitary; effect of PHP on, 1454*
—; effect of, during I^{131} therapy of hyperthyroidism, 1083*
—; effect of withdrawal on I^{131} uptake, in rats, 976†
—; effect on I^{131} uptake and PCR in hyperthyroidism, 1205*
—— thiouracil-treated rats; adrenal cortical response of, to cold, 941†
—— used in study of role of hypothalamus in thyroid function, 1259*
THYMUS; masses in; effect of ACTH on, 690*
THYROID: *see also* Antithyroid drugs; Iodine; Thiouracil
DISORDERS
—— cancer (carcinoma)
—, metastatic; blood I^{131} conc. and dosage in, 1197*
—, metastatic; metabolic fate of I^{131} in, after large therapeutic doses, 1480*
—; serum iodine in, after large doses of I^{131}, 856*
—; study & treatment of, with radioiodine: *see also* Iodine, radioactive

THYROID (*cont.*)
DISORDERS (*cont.*)
CANCER (CARCINOMA) (*cont.*)
—, treated with I^{131}; pathologic effects of, on thyroid, 1315*
—— deranged thyroid states; mechanism responsible for altered blood cholesterol in, 1287*
—— iodine-deficient goiter, studied by I^{131} in Argentina, 191*
—— goiter prevention with iodized salt; 30-yr. study, 1380*
—— nodular goiter; incidence of cancer in; treatment, 112*
—— nodular thyroid; observations on, with gammagraph, 1356*
—— struma cibaria, 1100*
—— surgery of; effect on recurrent laryngeal nerve, 1398*
—— thyroiditis, chronic, in 354 patients, 1578*
—— tumors, benign & malignant; comparison of histologic patterns of, 1474*
—— various; serum TSH in, 940†
Hyperthyroidism (exophthalmic goiter, Graves' disease, thyrotoxicosis, toxic adenoma)
—— and diabetes; effect of PHP in, 604*
—— associated with periodic paralysis, 1223*
—— diagnosis; simplified technique for, using 1-hr. uptake of oral I^{131}, 977†
—— differential diagnosis *vs.* extrathyroidal hypermetabolism 1373*
—— effect of massive cortisone therapy on thyroid function in, 541*
— of NaI, propylthiouracil & mercaptoimidazole in, studied by I^{131}, 1083*
— of propylthiouracil on uptake of I^{131} & PCR in, 1205*
— of some thyroxine analogues in, 1306*
— of thiouracil on eosinophils in, 977†
—— exophthalmos: *see also* Eyes
—— Graves' disease; hyperthyroidism or hyperpituitarism? influence of I^{131}, TSH & des. thyroid, 940†, 1561*
—— 17-KS excretion in, 1551*
—— menstrual pattern in, 846*
—— metabolism or radiothyroxine in, 1461*
—— nodular toxic goiter; incidence of cancer in; treatment, 112*
—— persistence of, following I^{131} therapy, 86*
—— recurrent, after antithyroid therapy plus thyroidectomy; treatment, 1389*
—— recurrent; observations on, with gammagraph, 1356*
—— serum iodine in, after large doses of I^{131}, 856*
—— temporary hypoparathyroidism following I^{131} therapy for, 1220*

THYROID (*cont.*)
DISORDERS (*cont.*)
HYPERTHYROIDISM (*cont.*)
—— therapeutic effects from repeated diagnostic doses of I^{131}, 1349*
—— thyroid-stimulating, or thyrotropic hormone (TSH) in, *see also* Pituitary preps. & compounds, TSH
—— thyrotoxicosis; quant. I^{131} therapy in, 86*
—— toxic goiter; status of treatment, 130*
—— treated with methimazole, 841*
— methylthiouracil, 719*
— paraoxipropiophenone, 978†
Hypothyroidism (cretinism, myxedema)
—— cretinism; 17-KS excretion in, 1551*
—— cretinism; response of eosinophils to epinephrine in, 480*
—— following antithyroid drugs: *see also* Antithyroid drugs; Thiouracil
—— following I^{131} treatment of toxic goiter, 86*
—— menstrual pattern in, 846*
—— myxedema; assay of thyroxine analogues in, 1306*
—— myxedema; mucoproteins of serum & skin in, 931†
—— plus other endocrinopathies; effect of GH in, 881*
—— therapy of, with thyroid compounds: *see* Thyroid, preps. & compounds
—— *vs.* pituitary insufficiency; diff. diagnosis, 574*
—— with & without myxedema; 17-KS excretion in, 1551*
—— with enlarged sella *vs.* chromophobe pit. tumor; diff. diagnosis, 611*
PHYSIOLOGY AND PATHOLOGY
—— changes in, produced by PHP & propylthiouracil, 1454*
—— clinicopathologic studies: *see* Thyroid disorders
—— concentration of radioactivity in, after admin. of labeled TSH preps. to male chick, 1269*
—— epithelium; measurement of, after iodothiouracil & other antithyroid therapy, 228*
—— function; altered by ACTH & cortisone, 554*
— and life stress, 941†
—; effect of Amphenone "B" on, 943†
—; effect of massive cortisone therapy on, 541*
—, in rat; effect of low-iodine diet on, studied by I^{131}, 1495*
—; influence of adrenal hormones on, in hypop'd rat, 939†
—; role of hypothalamus in control of, 1259*
—; studies of: *see also* Iodine, radioactive; Pituitary preparations, TSH; Thiouracil
—— histologic pattern; comparison of, in

THYROID (*cont.*)
PHYSIOLOGY AND PATHOLOGY (*cont.*)
benign & malignant thyroid tumors, 1474*
—— hormone: *see also* Thyroid preparations
—— human; effect of perchlorate on, 973†
—— iodine-deficient, in Argentina, studied by I^{131}, 191*
—— normal, human; pathologic effects of I^{131} on, 1315*
—— pathologic & clinical study of 354 cases of chronic thyroiditis, 1578*
—— radioiodine in the study of: *see* Iodine, radioactive
—— role of, in blood lipid changes following cortisone, 963†
—— thyroidectomy; effect on I^{131} radiation to blood, 1197*
—— thyrotropic hormone (thyroid-stimulating hormone, TSH): *see also* Pituitary preps. & compounds, TSH
—— uptake of I^{131} after single i.v. tracer; diagnostic errors from, 135*
— in diagnosis of extrathyroidal hypermetabolism 1373*
— increased by Tapazole, 761*
—, PBI & BMR; influence of TSH & thyroxine on, 208*
PREPARATIONS AND COMPOUNDS
—— desiccated thyroid; influence of, in I^{131} study of iodine-deficient thyroid, 191*
—; influence of, on uptake of I^{131} in Graves' disease, 1561*
—; PBI during ingestion of, in euthyroid adult males, 1454*
—— 2′,6′-diiodothyronine, an analogue of thyroxine, 976†
—— diiodotyrosine in serum & urine after admin. of radiothyroxine, 1461*
—— hormone: and TSH; effect on ground substance & connective tissue, 966†
—— hormone: studies of, with radioiodine: *see also* Iodine, radioactive
—— thyroid-stimulating hormone (TSH): *see* Pituitary preps. & compounds, TSH
—— thyroid substance; effect on I^{131} uptake, PBI & BMR, 208*
—— thyroxine:—analogues; physiologic activity of, 1306*
— and cortisone; catabolic action of, 962†
— and TSH; reciprocal effects of, on I^{131} uptake, 975†
—; enzymatic mechanisms of, 1300*
— in blood, after large doses of I^{131}, 856*
— interaction of with GH; tibia test, 937†
—, radioactive; enterohepatic circulation of, 942†
—, radioactive; metabolism of, in exophthalmic goiter, 1461*
—; tissue responses to, 978†
THYROIDITIS: *see* Thyroid disorders
THYROID-STIMULATING HORMONE (TSH): *see* Pituitary preps. & compounds, TSH
THYROTOXICOSIS: *see* Thyroid disorders, hyperthyroidism
THYROTROPIC HORMONE (TSH): *see* Pituitary preps. & compounds, TSH
THYROXINE: *see* Thyroid preps. & compounds
TISSUE: *see also* under specific organ involved
—— distribution of I^{131} in: *see* Iodine, radioactive
—— granulation tissue; hormonal regulation of development, 930†
—— ground substance & connective tissue; effect of thyroid hormone & TSH on, 966†
—— tissue responses to thyroxine, 978†
TOXIC ADENOMA; TOXIC GOITER: *see* Thyroid disorders, hyperthyroidism
TOXINS: *see also* Infections
—— diphtheria-intoxicated g. pigs; effect of cortisone on nucleic acid in, 932†
—— hyperfunctional endocrinopathies treated with, 966†
TRAUMA: *see* Infections; Stress
TSH: *see* Pituitary preps. & compounds, thyrotropic hormone
TUBERCULOSIS
—— chronic pulmonary; adrenal function in, 957†
—— experimental; protection against, by STH, 973†
TUMORS: *see also* Neoplasms; and under organ or form of treatment involved
—— adrenal: *see* Adrenal disorders, tumors; and Cushing's syndrome
—— chromophobe adenoma: *see* Pituitary disorders
—— histopathology; study of: *see* Iodine, radioactive; and under various endocrine disorders
—— function of, studied by radioiodine: *see* Iodine, radioactive
—— virilizing: *see* Adrenal disorders; Virilism
—— therapy; with hormones: *see* Androgens; Estrogens; and under various glandular preparations
— with radioiodine: *see* Iodine, radioactive
— with roentgen rays: *see* Roentgen rays
TURNER'S SYNDROME: *see* Syndrome

UNITED STATES ATOMIC ENERGY COMMISSION; cancer program for fiscal 1953, 982
UNIVERSITY OF MINNESOTA; symposium on metabolism of potassium, 983†
URINE: *see also* Kidney
—— adrenal metabolites: *see* Adrenal preps. & compounds: Steroids
—— androgens: *see* Androgens; Steroids
—— calcium: *see* Calcium; Electrolytes; Parathyroids
—— chloride: *see* Chloride; Electrolytes; Sodium; Addison's disease
—— chorionic gonadotropin: *see* Gonadotropins; Pregnancy

URINE (*cont.*)
—— corticosteroids (corticoids): *see* Adrenal preps. & compounds; Steroids
—— creatinine: *see* Creatinine; Nitrogen
—— diuresis: see Water; Pituitary disorders, diabetes insipidus
—— electrolytes: *see* Electrolytes
—— estrogens (estradiol, estrone, estriol): *see* Estrogens; Steroids
—— FSH: *see* Gonadotropins
—— gonadotropins: *see* Gonadotropins
—— ICSH: *see* Pituitary preps. & compounds
—— iodine compounds: *see* Iodine
—— 17-ketosteroids: *see* Steroids
—— methods for determination of constituents: *see* Methods; Tests
—— nitrogen: *see* Nitrogen; Creatinine; Protein
—— pituitary hormones, other than gonadotropins: *see* Pituitary preps. & compounds
—— phosphorus: *see* Phosphorus
—— potassium: *see* Potassium; Electrolytes
—— pregnanediol: *see* Pregnonediol
—— protein: *see* Protein; Nitrogen
—— radioactive compounds: *see* Radioactive
—— radioactive iodine: *see* Iodine, radioactive
—— sodium: *see* Sodium; Electrolytes
—— steroids: *see* Steroids
—— sugar: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
U. S. ATOMIC ENERGY COMMISSION: *see* United States
UTERUS AND VAGINA: *see also* Ovary
—— endometrium; effect of different preps. of progesterone on (biopsy), 1445*
—— endometrium; physiologic status of, in relation to urinary estrogen excretion pattern, 489*
—— estrogens; effect of: *see* Estrogens
—— menstruation: *see* Menstruation; Climacteric
—— placenta; chorionic gonadotropin in: *see* Gonadotropins; Pregnancy
—— pregnancy: *see* Pregnancy
—— progesterone; effects of: *see* Progesterone
—— size of uterus in mouse; effect of dietary changes on, 244*
—— vaginal smears: *see* Climacteric; Menstruation; Ovary

VAGINA: see Uterus and vagina
VAN METER Prize Award: *see* American Goiter Association
VASCULAR SYSTEM: *see also* Blood
—— blood pressure: *see also* specific disease, e.g., Addison's
—— complications of diabetes, 458*
—— heart: *see* Heart
—— menstruation: *see* Menstruation
—— telangiectasia, painful, in pregnancy; hormonal factor in, 953†
VASCULAR SYSTEM (*cont.*)
—— hypertension; adrenal cortical function in (17-KS and glucocorticoid data), 296*
— and degenerative lesions, produced by MAD in the rat, 918†
—; control of, with cortisone, in congen. adrenal hyperplasia, 1015*
—, parabiotic, in the rat; course of, following adrenalectomy, 960†
—, paroxysmal, in pheochromocytoma, 875*
VIRILISM
—— associated with adrenal disease: *see* Adrenal disorders; and Cushing's syndrome
—— hirsutism without other signs of virilism, caused by adrenal cortical tumor, 50*
—— masculinizing syndrome; pregnanediol excretion in, 890*
—— pseudohermaphrodism: *see* Hermaphrodism
—— urinary estrogens & 17-KS in; influence of cortisone, comps. B & F, & ACTH on, 1513*
—— virilization of female rats with gravidic hormones, 955*
VITAMINS
—— B; folic acid antagonists: *see* Folic acid antagonists
—— C; ascorbic acid-ascorbic acid oxidase system; effect of thyroxine on, 1300*
—content of adrenals: *see also* Adrenals, physiology
—depletion assay of ACTH preps., 956†, 967†
—; effect on 17-KS excretion in rats, 908*
— excretion; effect of acute stress on, in young men, 393*
— metabolism; effect of cortisone on, 346*
—— E; failure of, to alter menopausal index in the climacteric, 948†
—*dl*-alpha-tocopherol; effect on excretion of (pregnanediol plus estrogen), 371*

WATER
—— assay of antidiuretic substances, 961†
—— forced ingestion of; effect on qual. excretion pattern of 17-KS, 647*
—— intravascular, in Addison's disease; effect of cortisone on, 925†
—— metabolism of, in pituitary insufficiency, 798*
WEIGHT (BODY): *see* Growth: Pituitary, preps. & compounds, growth hormone; and under various endocrine diseases
WORK: *see* Stress

X-RAYS: *see* Roentgen rays